Biochimie (1994) 76,1247-1260
© Elsevier, Paris

Author index

A

Achstetter T -- *See* Moulard M *et al*, 251
Agris PF -- *See* Guenther RH *et al*, 1143
Akutsu H -- *See* Higuchi Y *et al*, 537
Aletras AJ -- *See* Karamanos NK *et al*, 79
Altmann M, Trachsel H, The yeast *Saccharomyces cerevisiae* system: A powerful tool to study the mechanism of protein synthesis initiation in eukaryotes, 853
Ambler RP, Daniel M, Meyer TE, Kamen MD, Amino acid sequences of cytochromes c2 and c' from the moderately halophilic purple phototrophic bacterium *Rhodospirillum salexigens*, 583
Amuro N -- *See* Ooki K *et al*, 398
Andera L, Schneider GJ, Geiduschek EP, An analysis of subunit exchange in the dimeric DNA-binding and DNA-bending protein, TF1, 933
Angliker H -- *See* Garten W *et al*, 217
Antonicelli F -- *See* Elbtaouri H *et al*, 417
Antonopoulos CA -- *See* Karamanos NK *et al*, 79
Aramaki H, Sagara Y, Takeuchi K, Koga H, Horiuchi T, Nucleotide sequence of the gene encoding a repressor for the cytochrome P-450cam hydroxylase operon on the *Pseudomonas putida* CAM plasmid, 63
Arvy MP, Imbault N, Naudascher F, Doireau P, 2,4-D and alkaloid accumulation in periwinkle cell suspensions, 410
Ash J -- *See* Bourbonnais Y *et al*, 226
Asso M -- *See* Bertrand P *et al*, 524
Avlijakulov NK -- *See* Sedelnikova SE *et al*, 440
Ayoubi TAY -- *See* Roebroek AJM *et al*, 210

B

Bahraoui E -- *See* Moulard M *et al*, 251
Bakal RS -- *See* Guenther RH *et al*, 1143
Barciszewski J -- *See* Otzen DE *et al*, 15
Barker PD -- *See* Guillemette JG *et al*, 592
Bataille D -- *See* Blache P *et al*, 295
Bennes R -- *See* Soulier S *et al*, 1075
Berman YL, Rattan AK, Carr K, Devi L, Regional distribution of neuropeptide processing endopeptidases in adult rat brain, 245
Bernard P -- *See* Serveau C *et al*, 153
Berne PF -- *See* Kalogerakos T *et al*, 33
Berridge G -- *See* Ussery DW *et al*, 968
Berta P -- *See* Soulier S *et al*, 1075
Bertin B -- *See* Verdot L *et al*, 165
Bertrand P, Asso M, Mbarki O, Camensuli P, More C, Guigliarelli B, Individual redox characteristics and kinetic properties of the hemes in cytochromes c_3: New methods of investigation, 524
Bianco P, Haladjian J, Recent progress in the electrochemistry of c-type cytochromes, 605
Bichko V -- *See* Wu TT *et al*, 1205
Bilgin N -- *See* Scoble J *et al*, 59
Björk GR -- *See* Persson BC *et al*, 1152
Blache P, Kervran A, Le-Nguyen D, Bataille D, Miniglucagon production from glucagon: An extracellular processing of a hormone used as a prohormone, 295
Blanchard L -- *See* Dolla A *et al*, 471
Blanquet S -- *See* Kalogerakos T *et al*, 33
Blazy B -- *See* Giraud-Panis MJ *et al*, 133
Boizet-Bonhoure B -- *See* Soulier S *et al*, 1075
Bokar JA -- *See* Rottman FM *et al*,1109
Bosshard HR -- *See* Leder L *et al*, 465
Bourbonnais Y, Germain D, Ash J, Thomas DY, Cleavage of prosomatostatins by the yeast Yap3 and Kex2 endoprotease, 226
Boutorine AS, Venyaminova AG, Repkova MN, Sergueyeva ZA, Pyshnyï DV, Effect of derivatization of ribophosphate backbone and terminal ribophosphate groups in oligoribonucleotides on their stability and interaction with eukaryotic cells, 23
Brandi A, Pon CL, Gualzeri CO, Interaction of the main cold shock protein CS7.4 (CspA) of *Escherichia coli* with the promoter region of *hns*, 1090
Bravo A -- *See* Serrano M *et al*, 981
Brayer GD -- *See* Guillemette JG *et al*, 592
Brent W, Pollock R, Voordouw G, Molecular biology of c-type cytochromes from *Desulfovibrio vulgaris* Hildenborough, 554
Breton J -- *See* Garcia D *et al*, 666
Brunori M -- *See* Silvestrini MC *et al*, 641 -- *See* Dolla A *et al*, 471 -- *See* Guerlesquin F *et al*, 515 -- *See* Florens L *et al*, 561
Buckingham RH, Codon context and protein synthesis: Enhancements of the genetic code, 351
Bulant M -- *See* Ladram A *et al*, 320
Burbach JPH -- *See* de Bree FM *et al*, 315
Bétermier M, Galas DJ, Chandler M, Interaction of Fis protein with DNA: Bending and specificity of binding, 958
Bösl M -- *See* Slany RK *et al*, 389

C

Caffrey MS, Strategies for the study of cytochrome c structure and function by site-directed mutagenesis, 622
Calas B -- *See* Soulier S *et al*, 1075
Cambillau C -- *See* Tegoni M *et al*, 501
Camensuli P -- *See* Bertrand P *et al*, 524
Carr K -- *See* Berman YL *et al*, 245
Chae CB -- *See* Megraw TL *et al*, 909
Chandler M -- *See* Bétermier M *et al*, 958
Charlier M -- *See* Katouzian-Safadi M *et al*, 129 -- *See* Isabelle V *et al*, 187
Charlier D, Huysveld N, Roovers M, Glansdorff N, On the role of the *Escherichia coli* integration host factor (IHF) in repression at a distance of the pyrimidine specific promoter P1 of the *carAB* operon,1041
Charollais RH, Tiwari S, Thomas NSB, Into and out of G1: The control of cell proliferation, 887
Chen HM, Tsong TY, Chain condensation in protein folding, 384
Chen L -- *See* Le Gall J *et al*, 655
Chen JJ, Crosby JS, London IM, Regulation of heme-regulated eIF-2 kinase and its expression in erythroid cells, 761
Chen Y -- *See* Guenther RH *et al*,1143
Chenault KD, Melcher U, Patterns of nucleotide variation among cauliflower mosaic virus isolates, 3
Chesneau V, Pierotti AR, Prat A, Gaudoux F, Foulon T, Cohen P, N-arginine dibasic convertase (NRD convertase): A newcomer to the family of processing endopeptidases. An overview, 234
Chevalier G -- *See* Manoha F *et al*, 9
Chevrie K, Motta G, Mayer R, Monsigny M, Dye hydrophobic hapten conjugate/anti-dye antibody complex as immunogen: Preparation of hydrophobic hapten-specific monoclonal antibodies, 171
Chiz RS -- *See* McGovern V *et al*, 1019
Chrétien M -- *See* Seidah NG *et al*, 197
Ciabatti I -- *See* Silvestrini MC *et al*, 641
Claisse D -- *See* Elbtaouri H *et al*, 417
Clark BFC -- *See* Otzen DE *et al*, 15
Clarke IJ -- *See* Smith AI *et al*, 288
Clauser E -- *See* Williams TA *et al*, 312
Clemens MJ, Laing KG, Jeffrey IW, Schofield A, Sharp TV, Elia A, Matys V, James MC, Tilleray VJ, Regulation of the interferon-inducible eIF-2 protein kinase by small RNAs, 770
Cohen P -- *See* Chesneau V *et al*, 234
Cool DR, Peng Loh Y, Identification of a sorting signal for the regulated secretory pathway at the N-terminus of pro-opiomelanocortin, 265
Corvol P -- *See* Konoshita T *et al*, 241 -- *See* Williams TA *et al*, 312
Cowan JA -- *See* Lui SM *et al*, 452
Creemers JWM -- *See* Roebroek AJM *et al*, 210
Crosby JS -- *See* Chen JJ *et al*, 761
Culard F -- *See* Giraud-Panis MJ *et al*, 133
Cummings HS, Sands JF, Fraser J, Hershey JWB, Characterization and expression of a gene encoding serine $tRNA_5$ from *Escherichia coli*, 83
Cunningham PR -- *See* Formenoy LJ *et al*, 1123
Curnow AW, Garcia GA, tRNA-guanine transglycolase from *Escherichia coli*: Recognition of dimeric, unmodified $tRNA^{Tyr}$, 1183

Cusanovich MA -- *See* Meyer TE *et al*, 480
Cutruzzola F -- *See* Silvestrini MC *et al*, 641
Czjzek M, Payan F, Haser R, Molecular and structural basis of electron transfer in tetra- and octa-heme cytochromes, 546

D

Danchin A -- *See* Landgraf JR *et al*,1063
Daniel M -- *See* Ambler RP *et al*, 583
Dardel F -- *See* Fortier PL *et al*, 376
David L -- *See* Toussaint B *et al*, 951
Day R -- *See* Seidah NG *et al*, 197
de Bree FM, Burbach JPH, Heterologous biosynthesis and processing of pre-provasopressin in Neuro2A neuroblastoma cells, 315
de Sury d'Aspremont R -- *See* Toussaint B *et al*, 951
Del Valle M -- *See* Günther Sillero MA *et al*, 404
Delamarche C -- *See* Manoha F *et al*, 9
Delemer B -- *See* Elbtaouri H *et al*, 417
Delfour A -- *See* Ladram A *et al*, 320
Delmotte FM -- *See* Wisniewski JP *et al*, 121
Demuynck S -- *See* Ruffin P *et al*, 423
Desbois A, Resonance Raman spectroscopy of c-type cytochromes, 693
Devi L -- *See* Berman YL *et al*, 245
Dhainaut A -- *See* Ruffin P *et al*, 423
Dittié AS -- *See* Tooze SA *et al*, 271
Doireau P -- *See* Arvy MP *et al*, 410
Dolla A, Blanchard L, Guerlesquin F, Bruschi M, The protein moiety modulates the redox potentials in cytochromes c, 471 -- *See* Guerlesquin F *et al*, 5 15
Dopazo A -- *See* Sanchez M *et al*, 1071
Douillié A, Toussaint A, Faelen M, Identification of the integration host factor genes of *Erwinia chrysanthemi* 3937, 1055
Drlica K -- *See* Oberto J *et al*, 901
Durand M, Thuong NT, Maurizot JC, Interaction of Hoechst 33258 with a DNA triple helix, 181
Dutka S -- *See* Kalogerakos T *et al*, 33

E-F

Ehrenberg M -- *See* Scoble J *et al*, 59
Ehresmann C -- *See* Zheltonosova J *et al*, 71
Ehresmann B -- *See* Zheltonosova J *et al*, 71
Eichler DC, Characterization of a nucleolar 2'-O-methyltransferase and its involvement in the methylation of mouse precursor ribosomal RNA,1115
Elbtaouri H, Antonicelli F, Claisse D, Delemer B, Haye B, Cyclic AMP regulation of annexins I, II, V synthesis and localization in cultured thyroid cells, 417
Elia A -- *See* Clemens MJ *et al*, 770
Eltis LD -- *See* Guillemette JG *et al*, 592
Esberg B -- *See* Persson BC *et al*,1152
Faelen M -- *See* Douillié A *et al*,1055
Falcinelli S -- *See* Silvestrini MC *et al*, 641
Faller DV -- *See* Mundschau LJ *et al*, 792
Feder L -- *See* Panagakos FS *et al*, 394
Ferrer-di-Martino M -- *See* Verdot L *et al*, 165
Fery-Forgues S -- *See* Paillous N *et al*, 355
Florens L, Bruschi M, Recent advances in the characterization of the hexadecahemic cytochrome c from *Desulfovibrio*, 561
Formenoy LJ, Cunningham PR, Nurse K, Pleij CWA, Ofengand J, Methylation of the conserved A1518-A1519 in *Escherichia coli* 16S ribosomal RNA by the *ksgA* methyltransferase is influenced by mutations around the similarly conserved U512-G1523 base pair in the 3' terminal hairpin,1123
Forrest B -- *See* Guenther RH *et al*, 1143
Fortier PL, Schmitter JM, Garcia C, Dardel F, The N-terminal half of the initiator factor IF3 is folded as a stable independent domain, 376
Foulon T -- *See* Chesneau V *et al*, 234
Franchet-Beuzit J -- *See* Isabelle V *et al*, 187
Fraser J -- *See* Cummings HS *et al*, 83
Freire R -- *See* Serrano M *et al*, 981
Fricker LD -- *See* Jung YK *et al*, 336
Funnel BE, Gagnier L, P1 plasmid partition: Binding of P1 ParB protein and *Escherichia coli* integration host factor to altered *parS* sites, 924

G

Gaastra W -- *See* Jordi BJAM *et al*, 1052
Gagnier L -- *See* Funnel BE *et al*, 924
Gait MJ -- *See* Grasby JA *et al*, 1223
Galas DJ -- *See* Bétermier M *et al*, 958
Gandy S, Greengard P, Regulated cleavage of the Alzheimer amyloid precursor protein: Molecular and cellular basis, 300
Ganoza MC, Louis BG, Potential secondary structure at the translational start domain of eukaryotic and prokaryotic mRNAs, 428
Garber MB-- *See* Zheltonosova J *et al*, 71 -- *See* Sedelnikova SE *et al*, 440
Garcia C -- *See* Fortier PL *et al*, 376
Garcia D, Richaud P, Breton J, Verméglio A, Structure and function of the tetraheme cytochrome associated to the reaction center of *Roseobacter denitrificans*, 666
Garcia GA -- *See* Curnow AW *et al*,1183
Garcian AG -- *See* Günther Sillero MA *et al*, 404
Gardner JF -- *See* Hales LM *et al*,1030
Garlick PJ, McNurlan MA, Protein metabolism in the cancer patient, 713
Garreau de Loubresse N -- *See* Madeddu L *et al*, 329
Garten W, Hallenberger S, Ortmann D, Schäfer W, Vey M, Angliker H, Shaw E, Klenk HD, Processing of viral glycoproteins by the subtilisin-like endoprotease furin and its inhibition by specific peptidylchloroalkylketones, 217
Gasc JM -- *See* Konoshita T *et al*, 241
Gaudoux F -- *See* Chesneau V *et al*, 234
Gauthier F -- *See* Serveau C *et al*, 153
Gautier MC -- *See* Madeddu L *et al*, 329
Geiduschek EP -- *See* Andera L *et al*, 933
Germain D -- *See* Bourbonnais Y *et al*, 226
Gilaldi H -- *See* Goldenberg D *et al*, 941
Gincel E, Lancelot G, Maurizot JC, Thuong NT, Vovelle F, Comparison of solution structure of free and complexed lac operator by molecular modelling with NMR constraints, 141
Giraud-Panis MJ, Toulmé F, Blazy B, Maurizot JC, Culard F, Fluorescence study on the non-specific binding of cyclic-AMP receptor protein to DNA: Effect of pH, 133
Glansdorff N -- *See* Charlier D *et al*, 1041
Glucksman M -- *See* Smith AI *et al*, 288
Goldenberg D, Gilaldi H, Oppenheim AB, Genetic and biochemical analysis of IHF/HU hybrid proteins, 941
Granum PE -- *See* Ussery DW *et al*, 968
Grasby JA, Gait MJ, Synthetic oligoribonucleotides carrying site-specific modifications for RNA structure-function analysis, 1223
Gray MM -- *See* Jagus R *et al*, 779
Greengard P -- *See* Gandy S *et al*, 300
Greeve J, Hartwig D, Windler E, Greten H, Requirements for editing in the genomic RNA of hepatitis delta virus,1209
Greten H -- *See* Greeve J *et al*, 1209
Gu X -- *See* Kealey JT *et al*,1133
Gualzeri CO -- *See* Brandi A *et al*,1090
Guenther RH, Bakal RS, Forrest B, Chen Y, Sengupta R, Nawrot B, Sochacka E, Jankowska J, Kraszewski A, Malkiewicz A, Agris PF, Aminoacyl-tRNA synthetase and U_{54} methyltransferase recognize conformations of the yeast $tRNA^{Phe}$ anticodon and T stem/loop domain, 1143
Guerlesquin F -- *See* Dolla A *et al*, 471
Guerlesquin F, Dolla A, Bruschi M, Involvement of electrostatic interactions in cytochrome c complex formations, 515
Guigliarelli B -- *See* Bertrand P *et al*, 524
Guillemette JG, Barker PD, Eltis LD, Lo TP, Smith M, Brayer GD, Mauk AG, Analysis of the bimolecular reduction of ferricytochrome c by ferrocytochrome b_5 through mutagenesis and molecular modelling, 592
Guillet JG -- *See* Tate K *et al*, 159
Gumport RI -- *See* Hales LM *et al*, 1030
Gutiérrez C -- *See* Serrano M *et al*, 981
Günther Sillero MA, Del Valle M, Zaera E, Michelena P, Garcian AG, Sillero A, Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404

H

Haladjian J -- *See* Bianco P *et al*, 605

Hales LM, Gumport RI, Gardner JF, Mutants of *Escherichia coli* integration host factor: DNA-binding and recombination properties, 1030
Hallenberger S -- *See* Garten W *et al*, 217
Hann SR, Regulation and function of non-AUG-initiated proto-oncogenes, 880
Hartwig D -- *See* Greeve J *et al*, 1209
Haselkorn R -- *See* Nagaraja R *et al*, 1082
Haser R -- *See* Czjzek M *et al*, 546
Haye B -- *See* Elbtaouri H *et al*, 417
Haykinson MJ -- *See* Paul TT *et al*, 992
Heitz F -- *See* Soulier S *et al*, 1075
Hermoso JM -- *See* Serrano M *et al*, 981
Hershey JWB -- *See* Cummings HS *et al*, 83 ***, Expression of initiation factor genes in mammalian cells, 847
Hevor TK, Some aspects of carbohydrate metabolism in the brain, 111
Higgins CF -- *See* Ussery DW *et al*, 968
Higgins NP -- *See* McGovern V *et al*, 1019
Higuchi Y, Akutsu H, Yasuoka N, A detailed comparison of the refined structures of cytochrome c3 molecules from two strains in *Desulfovibrio vulgaris*: The relationship between the heme structures and their redox properties, 537
Hilbert JL -- *See* Ruffin P *et al*, 423
Hinton JCD -- *See* Ussery DW *et al*, 968
Hirota F -- *See* Shimura M *et al*, 614
Hixson SS -- *See* Wower J *et al*, 1235
Hjalmarson A -- *See* Tate K *et al*, 159
Hjerpe A -- *See* Karamanos NK *et al*, 79
Ho CY, Stromer MH, Robson RM, Identification of the 30-kDa polypeptide in *post mortem* skeletal muscle as a degradation product of troponin-T, 369
Hoebeke J -- *See* Tate K *et al*, 159
Hoebeke J -- *See* Verdot L *et al*, 165
Hollinshead M -- *See* Tooze SA *et al*, 271
Hopper AK -- *See* Martin NC *et al*, 1161
Horiuchi T -- *See* Aramaki H *et al*, 63
Horowitz J -- *See* Kintanar A *et al*, 1192
Hottinger H -- *See* Leong-Morgenthaler P *et al*, 45
Hountondji C -- *See* Kalogerakos T *et al*, 33
Huez G -- *See* Kruys V *et al*, 862
Huttner WB -- *See* Natori S *et al*, 277
Huysveld N -- *See* Charlier D *et al*, 1041

I-J

Ikehara Y -- *See* Moulard M *et al*, 251
Imbault N -- *See* Arvy MP *et al*, 410
Isabelle V, Franchet-Beuzit J, Sabattier R, Spotheim-Maurizot M, Charlier M, Sites of strand breakage in DNA irradiated by fast neutrons, 187
Jackson RJ -- *See* Standart N *et al*, 867
Jagus R, Gray MM, Proteins that interact with PKR, 779
James MC -- *See* Clemens MJ *et al*, 770
Jandinski JJ -- *See* Panagakos FS *et al*, 394
Jankowska J -- *See* Guenther RH *et al*, 1143
Jaworski A -- *See* McGovern V *et al*, 1019
Jefferson LS -- *See* Kimball SR *et al*, 729
Jeffrey IW -- *See* Clemens MJ *et al*, 770
Johnson RC -- *See* Paul TT *et al*, 992
Jordi BJAM -- *See* Ussery DW *et al*, 968 ***, van der Zeijst BAM, Gaastra W, Regions of the CFA/I promoter involved in the activation by the transcriptional activator CfaD and repression by the histone-like protein H-NS, 1052
Joshi B -- *See* Rhoads RE *et al*, 831
Juliano L -- *See* Serveau C *et al*, 153
Jung YK, Fricker LD, Expression of the carboxypeptidase E gene: Characterization of the initiator-binding proteins, 336

K-L

Kalogerakos T, Hountondji C, Berne PF, Dutka S, Blanquet S, Modification of aminoacyl-tRNA synthetases with pyridoxal-5'-phosphate. Identification of the labeled amino acid residues, 33
Kamen MD -- *See* Ambler RP *et al*, 583
Kao LR -- *See* Megraw TL *et al*, 909
Karamanos NK, Aletras AJ, Antonopoulos CA, Hjerpe A, Determination of the HNK-1 epitope (3-sulphated glucuronic acid) in intact chondroitin sulphates by ELISA. Application to squid skin proteoglycans and their oversulphated carbohydrate structures, 79
Kashparov IA -- *See* Sedelnikova SE *et al*, 440
Katouzian-Safadi M, Charlier M, Identification of the DNA-interacting sites of proteins: Microsequencing of the peptides cross-linked to 5-bromouracil substituted DNA, 129
Katunin V, Soboleva N, Mahkno V, Sedelnikova E, Zhenodarova S, Kirillov S, Effect of the nucleotide-37 on the interaction of $tRNA^{Phe}$ with the P site of *Escherichia coli* ribosomes, 51
Kealey JT, Gu X, Santi DV, Enzymatic mechanism of tRNA (m^5U54)methyltransferase, 1133
Kern D -- *See* Zheltonosova J *et al*, 71
Kersten H -- *See* Slany RK *et al*, 389 -- *See* Slany RK *et al* ,1178
Kervran A -- *See* Blache P *et al*, 295
Kimball SR, Jefferson LS, Mechanisms of translational control in liver and skeletal muscle, 729
Kintanar A, Yue D, Horowitz J, Effect of nucleoside modifications on the structure and thermal stability of *Escherichia coli* valine tRNA, 1192
Kirillov S -- *See* Katunin V *et al*, 51
Klenk HD -- *See* Garten W *et al*, 217
Koga H -- *See* Aramaki H *et al*, 63
Konoshita T, Gasc JM, Villard E, Seidah NG, Corvol P, Pinet F, Co-expression of PC2 and proenkephalin in human tumoral adrenal medullary tissues, 241
Kosturko LD -- *See* Morse BK *et al*,1005
Kozak M, Determinants of translational fidelity and efficiency in vertebrate mRNAs, 815
Kraszewski A -- *See* Guenther RH *et al*,1143
Kruys V, Huez G, Translational control of cytokine expression by 3' UA-rich sequences, 862
Kumar S -- *See* Panagakos FS *et al*, 394
Ladram A, Bulant M, Delfour A, Montagne JJ, Vaudry H, Nicolas P, Modulation of the biological activity of thyrotropin-releasing hormone by alternate processing of pro-TRH, 320
Laing KG -- *See* Clemens MJ *et al*, 770
Lancelot G -- *See* Gincel E *et al*, 141
Landgraf JR, Levinthal M, Danchin A, The role of H-NS in one carbon metabolism,1063
Lazinski D -- *See* Wu TT *et al*,1205
Le Caer JP -- *See* Madeddu L *et al*, 329
Le Gall J, Payne WJ, Chen L, Liu MY, Xavier AV, Localization and specificity of cytochromes and other electron transfer proteins from sulfur-reducing bacteria, 655
Le-Nguyen D -- *See* Blache P *et al*, 295
Leder L, Bosshard HR, Immunoreactivity of c: Antibodies to horse cytochrome c distinguish between sequence-related cytochromes only at the level of the 3-D-structure, 465
Lederer F, The cytochrome b_5-fold: An adaptable module, 674
Lengagne R -- *See* Tate K *et al*, 159
Leong-Morgenthaler P, Oliver SG, Hottinger H, Söll D, A *Lactobacillus nifS*-like gene suppresses an *Escherichia coli* transaminase B mutation, 45
Levinthal M -- *See* Landgraf JR *et al*, 1063
Lew RA -- *See* Smith AI *et al*, 288
Liu MY -- *See* Le Gall J *et al*, 655
Lo TP -- *See* Guillemette JG *et al*, 592
London IM -- *See* Chen JJ *et al*, 761
Louis BG -- *See* Ganoza MC *et al*, 428
Ludwiczak R -- *See* Rottman FM *et al* ,1109
Lui SM, Cowan JA, A direct spectrophotometric method for monitoring the kinetics of T-cell cytolysis, 452

M

Madeddu L, Gautier MC, Le Caer JP, Garreau de Loubresse N, Sperling L, Protein processing and morphogenesis of secretory granules in *Paramecium*, 329
Magnusson Y -- *See* Tate K *et al*, 159
Mahkno V -- *See* Katunin V *et al*, 51
Malkiewicz A -- *See* Guenther RH *et al*, 1143
Manoha F, Chevalier G, Wroblewski H, Delamarche C, Cloning and expression of two *Pasteurella multocida* genes in *Escherichia coli*, 9

Marion D, Nuclear magnetic resonance studies of cytochromes c in solution, 631
Markova LF -- *See* Sedelnikova SE *et al*, 440
Martin NC, Hopper AK, How single genes provide tRNA processing enzymes to mitochondria, nuclei and the cytosol,1161
Matnis P, Ortega JM, Venturoli G, Interaction between cytochrome c and the photosynthetic reaction center of purple bacteria: Behaviour at low temperature, 569
Matys V -- *See* Clemens MJ *et al*, 770
Mauk AG -- *See* Guillemette JG *et al*, 592
Maurizot JC -- *See* Giraud-Panis MJ *et al*, 133 -- *See* Gincel E *et al*, 141 -- *See* Durand M *et al*, 181
Mayer R -- *See* Serveau C *et al*, 153
Mayer R -- *See* Chevrie K *et al*, 171
Mbarki O -- *See* Bertrand P *et al*, 524
McGovern V, Higgins NP, Chiz RS, Jaworski A, H-NS overexpression induces an artificial stationary phase by silencing global transcription, 1019
McNurlan MA -- *See* Garlick PJ *et al*, 713
Medeiros MS, Turner AJ, Post-secretory processing of regulatory peptides: The pancreatic polypeptide family as a model example, 283
Megraw TL, Kao LR, Chae CB, The mitochondrial histone HM: An evolutionary link between bacterial HU and nuclear HMG1 proteins, 909
Melcher U -- *See* Chenault KD *et al*, 3
Melnikova E -- *See* Zheltonosova J *et al*, 71
Merrick WC, Eukaryotic protein synthesis: An *in vitro* analysis, 822
Messer W -- *See* Roth A *et al*, 917
Meyer TE, Tollin G, Cusanovich MA, Protein interaction sites obtained *via* sequence homology. The site of complexation of electron transfer partners of cytochrome c revealed by mapping amino acid substitutions onto three-dimensional protein surfaces, 480
Meyer TE -- *See* Ambler RP *et al*, 583
Michalczyk R -- *See* Morse BK *et al*, 1005
Michelena P -- *See* Günther Sillero MA *et al*, 404
Minich WB -- *See* Rhoads RE *et al*, 831
Monsigny M -- *See* Wisniewski JP *et al*, 121 -- *See* Chevrie K *et al*, 171
Montagne JJ -- *See* Ladram A *et al*, 320
More C -- *See* Bertrand P *et al*, 524
Moreau T -- *See* Serveau C *et al*, 153
Morse BK, Michalczyk R, Kosturko LD, Multiple molecules of integration host factor (IHF) at a single DNA binding site, the bacteriophage λ cos I1 site, 1005
Motta G -- *See* Chevrie K *et al*, 171
Moulard M, Achstetter T, Ikehara Y, Bahraoui E, T4-Lymphocyte endoprotease responsible for the proteolytic processing of HIV-1 GP160, like Kex2p endoprotease, is a calcium-dependent enzyme, 251
Multhaup G, Identification and regulation of the high affinity binding site of the Alzheimer's disease amyloid protein precursor (APP) to glycosaminoglycans, 304
Mundschau LJ, Faller DV, Endogenous inhibitors of the dsRNA-dependent eIF2 protein kinase PKR in normal and ras-transformed cells, 792
Muranova TA -- *See* Sedelnikova SE *et al*, 440

N

Nagaraja R, Haselkorn R, Protein HU from the cyanobacterium *Anabaena*, 1082
Narayan P -- *See* Rottman FM *et al*, 1109
Natori S, Huttner WB, Peptides derived from the granins (chromogranins/secretogranins), 277
Naudascher F -- *See* Arvy MP *et al*, 410
Nawrot B -- *See* Guenther RH *et al*, 1143
Netter HJ -- *See* Wu TT *et al*,1205
Nicolas P -- *See* Ladram A *et al*, 320
Nishikawa K -- *See* Ueda T *et al*, 1217
Nurse K -- *See* Formenoy LJ *et al*, 1123

O-P

Oberto J, Drlica K, Rouvière-Yaniv J, Histones, HMS, HU: *Même combat*, 901
Ofengand J -- *See* Formenoy LJ *et al* ,1123
Okazaki T -- *See* Ooki K *et al*, 398
Olafsson O -- *See* Persson BC *et al*, 1152
Oliver SG -- *See* Leong-Morgenthaler P *et al*, 45
Ooki K, Amuro N, Shimizu Y, Okazaki T, High level expression of rat γ-D crystallin in *E coli*, 398
Oppenheim AB -- *See* Goldenberg D *et al*, 941
Ortega JM -- *See* Mathis P *et al*, 569
Ortmann D -- *See* Garten W *et al*, 217
Otzen DE, Barciszewski J, Clark BFC, Dual hydrlytic role for Pb(II) ions, 15
Paillous N, Fery-Forgues S, Interest of photochemical methods for induction of lipid peroxidation, 355
Pain VM, Translational control during amino acid starvation, 718
Panagakos FS, Jandinski JJ, Feder L, Kumar S, Effects of plasminogen and interleukin-1ß on bone resorption *in vitro*, 394
Panniers R, Translational control during heat shock, 737
Patton JR, Pseudouridine formation in small nuclear RNAs, 1129
Paul TT, Haykinson MJ, Johnson RC, HU and functional analogs in eukaryotes promote Hin invertasome assembly, 992
Payan F -- *See* Czjzek M *et al*, 546
Payne WJ -- *See* Le Gall J *et al*, 655
Peng Loh Y -- *See* Cool DR *et al*, 265
Persson BC, Esberg B, Olafsson O, Björk GR, Synthesis and function of isopentenyl adenosine derivatives in tRNA,1152
Pierotti AR -- *See* Chesneau V *et al*, 234
Pinet F -- *See* Konoshita T *et al*, 241
Pinheiro TJT, The interaction of horse heart cytochrome c with phospholipid bilayers. Structural and dynamic effects, 489
Pla J -- *See* Sanchez M *et al*, 1071
Pleij CWA -- *See* Formenoy LJ *et al* ,1123
Pollock R -- *See* Brent W *et al*, 554
Pon CL -- *See* Brandi A *et al*, 1090
Poulat F -- *See* Soulier S *et al*, 1075
Prat A -- *See* Chesneau V *et al*, 234
Price N, Proud C, The guanine nucleotide-exchange factor, eIF-2B, 748
Proud C -- *See* Price N *et al*, 748
Pyshnyï DV -- *See* Boutorine AS *et al*, 23

R

Rattan AK -- *See* Berman YL *et al*, 245
Reinbolt J -- *See* Zheltonosova J *et al*, 71
Repkova MN -- *See* Boutorine AS *et al*, 23
Rhoads RE, Joshi B, Minich WB, Participation of initiation factors in the recruitment of mRNA to ribosomes, 831
Richaud P -- *See* Garcia D *et al*, 666
Roberts JL -- *See* Smith AI *et al*, 288
Robinson AC -- *See* Sanchez M *et al*,1071
Robson RM -- *See* Ho CY *et al*, 369
Roebroek AJM, Creemers JWM, Ayoubi TAY, Van de Ven WJM, Furin-mediated proprotein processing activity: Involvement of negatively charged amino acid residues in the substrate binding region, 210
Roovers M -- *See* Charlier D *et al*,1041
Rosen KV -- *See* Wower J *et al*, 1235
Roth A, Urmoneit B, Messer W, Functions of histone-like proteins in the initiation of DNA replication at *oriC* of *Escherichia coli*, 917
Rottman FM, Bokar JA, Narayan P, Shambaugh ME, Ludwiczak R, N^6-Adenosine methylation in mRNA: Substrate specificity and enzyme complexity, 1109
Rouvière-Yaniv J -- *See* Oberto J *et al*, 901
Ruffin P, Demuynck S, Hilbert JL, Dhainaut A, Stress proteins in the polychaete annelid *Nereis diversicolor* induced by heat shock or cadmium exposure, 423

S

Sabattier R -- *See* Isabelle V *et al*, 187
Sagara Y -- *See* Aramaki H *et al*, 63
Salas M -- *See* Serrano M *et al*, 981
Sanchez M, Dopazo A, Pla J, Robinson AC, Vicente M, Characterisation of mutant alleles of the cell division protein FtsA, a regulator and structural component of the *Escherichia coli* septator, 1071
Sands JF -- *See* Cummings HS *et al*, 83

Santi DV -- *See* Kealey JT *et al*, 1133
Scheper GC, Voorma HO, Thomas AAM, Binding of the eukaryotic initiation factor-2 and *trans*-acting factors to the 5'untranslated region of encephalomyocarditis virus RNA, 801
Schmitter JM -- *See* Fortier PL *et al*, 376
Schneider GJ -- *See* Andera L *et al*, 933
Schofield A -- *See* Clemens MJ *et al*, 770
Schäfer W -- *See* Garten W *et al*, 217
Scoble J, Bilgin N, Ehrenberg M, Two GTPs are hydrolysed on two molecules of EF-Tu for each elongation cycle during code translation, 59
Sedelnikova SE -- *See* Katunin V *et al*, 51 ***, Shikaeva OS, Avlijakulov NK, Muranova TA, Markova LF, Kashparov IA, Garber MB, Proteins of the *Thermus thermophilus* ribosome. Purification of proteins from the large ribosomal subunit, 440
Seidah NG, Chrétien M, Day R, The family of subtilisin/kexin like pro-protein and pro-hormone convertases: Divergent or shared functions, 197
Seidah NG -- *See* Konoshita T *et al*, 241
Seirafi A -- *See* Ussery DW *et al*, 968
Sengupta R -- *See* Guenther RH *et al*, 1143
Sergueyeva ZA -- *See* Boutorine AS *et al*, 23
Serrano M, Gutiérrez C, Freire R, Bravo A, Salas M, Hermoso JM, Phage Ø29 protein p6: A viral histone-like protein, 981
Serveau C, Juliano L, Bernard P, Moreau T, Mayer R, Gauthier F, New substrates of papain, based on the conserved sequence of natural inhibitors of the cystatin family, 153
Shambaugh ME -- *See* Rottman FM *et al*, 1109
Sharp TV -- *See* Clemens MJ *et al*, 770
Shaw E -- *See* Garten W *et al*, 217
Shields D -- *See* Xu H *et al*, 257
Shikaeva OS -- *See* Sedelnikova SE *et al*, 440
Shimizu Y -- *See* Ooki K *et al*, 398
Shimura M, Hirota F, Yagi T, Functional sites of cytochrome c and other electron carrier proteins: Semi-empirical molecular orbital program PM3 applied to the conformational analysis of Cys-X1-X2-Cys peptides, 614
Sidebotham JM -- *See* Ussery DW *et al*, 968
Sillero A -- *See* Günther Sillero MA *et al*, 404
Silvestrini MC, Falcinelli S, Ciabatti I, Cutruzzola F, Brunori M, *Pseudomonas aeruginosa* nitrite reductase (or cytochrome oxidase): An overview, 641
Slany RK, Bösl M, Kersten H, Transfer and isomerization of the ribose moeity of AdoMet during the biosynthesis of queuosine tRNAs, a new unique reaction catalyzed by the QueA protein from *Escherichia coli*, 389 ***, Kersten H, Genes, enzymes and coenzymes of queuosine in procaryotes, 1178
Smith AI, Tetaz T, Roberts JL, Glucksman M, Clarke IJ, Lew RA, The role of EC 3.4.24.15 in the post-secretory regulation of peptide signals, 288
Smith M -- *See* Guillemette JG *et al*, 592
Soboleva N -- *See* Katunin V *et al*, 51
Sochacka E -- *See* Guenther RH *et al*, 1143
Sonenberg N, Regulation of translation and cell growth by eIF-4E, 839
Soubrier F -- *See* Williams TA *et al*, 312
Soulier S, Poulat F, Boizet-Bonhoure B, Calas B, Bennes R, Heitz F, Berta P, The human testis determining factor SRY: A new member of the HMG box protein family, 1075
Sperling L -- *See* Madeddu L *et al*, 329
Spotheim-Maurizot M -- *See* Isabelle V *et al*, 187
Standart N, Jackson RJ, Regulation of translation by specific protein/mRNA interactions, 867
Stephen RJ -- *See* Ussery DW *et al*, 968
Stromer MH -- *See* Ho CY *et al*, 369
Strosberg AD -- *See* Verdot L *et al*, 165
Suzuki T -- *See* Ueda T *et al*, 1217
Söll D -- *See* Leong-Morgenthaler P *et al*, 45

T

Takeuchi K -- *See* Aramaki H *et al*, 63
Tate K, Magnusson Y, Viguier M, Lengagne R, Hjalmarson A, Guillet JG, Hoebeke J, Epitope analysis of T- and B-cell response against the human ß1-adrenoceptor, 159
Taylor J -- *See* Wu TT *et al*,1205
Tegoni M, Cambillau C, Structural studies on recombinant and point mutations of flavocytochrome b_2, 501
Tetaz T -- *See* Smith AI *et al*, 288
Thomas DY -- *See* Bourbonnais Y *et al*, 226
Thomas AAM -- *See* Scheper GC *et al*, 801
Thomas NSB -- *See* Charollais RH *et al*, 887
Thuong NT -- *See* Gincel E *et al*, 141
Thuong NT -- *See* Durand M *et al*, 181
Tilleray VJ -- *See* Clemens MJ *et al*, 770
Tiwari S -- *See* Charollais RH *et al*, 887
Tollin G -- *See* Meyer TE *et al*, 480
Tooze SA, Hollinshead M, Dittié AS, Antibodies to secretogranin II reveal potential processing sites, 271
Toulmé F -- *See* Giraud-Panis MJ *et al*, 133
Toussaint B, David L, de Sury d'Aspremont R, Vignais PM, The IHF protein of *Rhodobacter capsulatus* and *Pseudomonas aeruginosa*, 951
Toussaint A -- *See* Douillié A *et al*, 1055
Trachsel H -- *See* Altmann M *et al*, 853
Tsong TY -- *See* Chen HM *et al*, 384
Tsui HCT, Winkler ME, Transcriptional patterns of the *mutL-miaA* superoperon of *Escherichia coli* K-12 suggest a model for posttranscriptional regulation, 1168
Tupper AE -- *See* Ussery DW *et al*, 968
Turner AJ -- *See* Medeiros MS *et al*, 283
Ueda T, Suzuki T, Yokogawa T, Nishikawa K, Watanabe K, Unique structure of new serine tRNAs responsible for decoding leucine codon CUG in various *Candida* species and their putative ancestral tRNA genes, 1217

U-V

Urmoneit B -- *See* Roth A *et al*, 917
Ussery DW, Hinton JCD, Jordi BJAM, Granum PE, Seirafi A, Stephen RJ, Tupper AE, Berridge G, Sidebotham JM, Higgins CF, The chromatin-associated protein H-NS, 968
Van de Ven WJM -- *See* Roebroek AJM *et al*, 210
van der Zeijst BAM -- *See* Jordi BJAM *et al*, 1052
Vaudry H -- *See* Ladram A *et al*, 320
Venturoli G -- *See* Mathis P *et al*, 569
Venyaminova AG -- *See* Boutorine AS *et al*, 23
Verdot L, Ferrer-di-Martino M, Bertin B, Strosberg AD, Hoebeke J, Production of anti-peptide antibodies directed against the first and second extracellular loop of the human serotonin 5-HT1A receptor, 165
Verméglio A -- *See* Garcia D *et al*, 666
Vey M -- *See* Garten W *et al*, 217
Vicente M -- *See* Sanchez M *et al*, 1071
Vignais PM -- *See* Toussaint B *et al*, 951
Viguier M -- *See* Tate K *et al*, 159
Villard E -- *See* Konoshita T *et al*, 241
Voordouw G -- *See* Brent W *et al*, 554
Voorma HO -- *See* Scheper GC *et al*, 801
Vovelle F -- *See* Gincel E *et al*, 141

W-X

Watanabe K -- *See* Ueda T *et al*,1217
Williams TA, Corvol P, Soubrier F, Clauser E, A recombinant form of angiotensin converting enzyme expressed from baculovirus-infected insect cells, 312
Windler E -- *See* Greeve J *et al*, 1209
Winkler ME -- *See* Tsui HCT *et al*, 1168
Wisniewski JP, Monsigny M, Delmotte FM, Purification of an α-L-fucose-binding protein from *Rhizobium lupini*, 121
Wower J, Rosen KV, Hixson SS, Zimmermann RA, Recombinant photoreactive tRNA molecules as probes for cross-linking studies, 1235
Wroblewski H -- *See* Manoha F *et al*, 9
Wu TT, Netter HJ, Bichko V, Lazinski D, Taylor J, RNA editing in the replication cycle of human hepatitis delta virus, 1205
Xavier AV -- *See* Le Gall J *et al*, 655
Xu H, Shields D, Prohormone processing in permeabilized cells: Endoproteolytic cleavage of prosomatostatin in the *trans*-Golgi network, 257

Y-Z

Yagi T -- *See* Shimura M *et al*, 614
Yasuoka N -- *See* Higuchi Y *et al*, 537
Yokogawa T -- *See* Ueda T *et al*, 1217
Yue D -- *See* Kintanar A *et al*, 1192
Zaera E -- *See* Günther Sillero MA *et al*, 404
Zheltonosova J, Melnikova E, Garber M, Reinbolt J, Kern D, Ehresmann C, Ehresmann B, Threonyl-tRNA synthetase from *Thermus thermophilus*: Purification and some structural and kinetic properties, 71
Zhenodarova S -- *See* Katunin V *et al*, 51
Zimmermann RA -- *See* Wower J *et al*, 1235

Keyword index

A

ABF2 -- The mitochondrial histone HM: An evolutionary link between bacterial HU and nuclear HMG1 proteins, 909
acidic pH -- Prohormone processing in permeabilized cells: Endoproteolytic cleavage of prosomatostatin in the *trans*-Golgi network, 257
adenine nucleotides -- Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404
adenovirus -- Regulation of the interferon-inducible eIF-2 protein kinase by small RNAs, 770
adenovirus major late promoter -- Expression of the carboxypeptidase E gene: Characterization of the initiator-binding proteins, 336
adrenal medulla -- Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404
affinity chromatography -- Purification of an α-L-fucose-binding protein from *Rhizobium lupini*, 121
alkaloid terpenoid precursor -- 2,4-D and alkaloid accumulation in periwinkle cell suspensions, 410
Alzheimer's disease -- Regulated cleavage of the Alzheimer amyloid precursor protein: Molecular and cellular basis, 300
amination -- RNA editing in the replication cycle of human hepatitis delta virus,1205
amino acid sequence -- Protein HU from the cyanobacterium *Anabaena*, 1 082
amino acid substitution -- Protein interaction sites obtained *via* sequence homology. The site of complexation of electron transfer partners of cytochrome c revealed by mapping amino acid substitutions onto three-dimensional protein surfaces, 480
aminoacyl-tRNA synthetases -- Modification of aminoacyl-tRNA synthetases with pyridoxal-5'-phosphate. Identification of the labeled amino acid residues, 33
aminoacylation -- Dual hydrlytic role for Pb(II) ions, 15 -- Aminoacyl-tRNA synthetase and U_{54} methyltransferase recognize conformations of the yeast $tRNA^{Phe}$ anticodon and T stem/loop domain, 1143
angiotensin converting enzyme -- A recombinant form of angiotensin converting enzyme expressed from baculovirus-infected insect cells, 312
annelids -- Stress proteins in the polychaete annelid *Nereis diversicolor* induced by heat shock or cadmium exposure, 423
annexins -- Cyclic AMP regulation of annexins I, II, V synthesis and localization in cultured thyroid cells, 417
antibody -- Production of anti-peptide antibodies directed against the first and second extracellular loop of the human serotonin 5-HT1A receptor, 165
antibody specificity -- Immunoreactivity of c: Antibodies to horse cytochrome c distinguish between sequence-related cytochromes only at the level of the 3-D-structure, 465
anticodon -- Unique structure of new serine tRNAs responsible for decoding leucine codon CUG in various *Candida* species and their putative ancestral tRNA genes,1217
anticodon domain -- Aminoacyl-tRNA synthetase and U_{54} methyltransferase recognize conformations of the yeast $tRNA^{Phe}$ anticodon and T stem/loop domain,1143
apo-cytochrome c -- Immunoreactivity of c: Antibodies to horse cytochrome c distinguish between sequence-related cytochromes only at the level of the 3-D-structure, 465
APP-processing -- Identification and regulation of the high affinity binding site of the Alzheimer's disease amyloid protein precursor (APP) to glycosaminoglycans, 304
astrocyte -- Some aspects of carbohydrate metabolism in the brain, 111
ATP -- Eukaryotic protein synthesis: An *in vitro* analysis, 822
autoimmunity -- Epitope analysis of T- and B-cell response against the human ß1-adrenoceptor, 159 -- Production of anti-peptide antibodies directed against the first and second extracellular loop of the human serotonin 5-HT1A receptor, 165
azurin -- *Pseudomonas aeruginosa* nitrite reductase (or cytochrome oxidase): An overview, 641

B

5-bromouracil -- Identification of the DNA-interacting sites of proteins: Microsequencing of the peptides cross-linked to 5-bromouracil substituted DNA, 129
7B2 -- The family of subtilisin/kexin like pro-protein and pro-hormone convertases: Divergent or shared functions, 197
B-cell epitopes -- Epitope analysis of T- and B-cell response against the human ß1-adrenoceptor, 159
b5-like cytochrome -- The cytochrome b_5-fold: An adaptable module, 674
bacteria -- Purification of an α-L-fucose-binding protein from *Rhizobium lupini*, 121
bacterial chromatin -- The chromatin-associated protein H-NS, 968
bacterial nucleoid -- Interaction of the main cold shock protein CS7.4 (CspA) of *Escherichia coli* with the promoter region of *hns*, 1090
baculovirus -- A recombinant form of angiotensin converting enzyme expressed from baculovirus-infected insect cells, 312
band shift assay -- tRNA-guanine transglycolase from *Escherichia coli*: Recognition of dimeric, unmodified $tRNA^{Tyr}$,1183
βA4 amyloid formation -- Identification and regulation of the high affinity binding site of the Alzheimer's disease amyloid protein precursor (APP) to glycosaminoglycans, 304
biosynthesis -- Heterologous biosynthesis and processing of preprovasopressin in Neuro2A neuroblastoma cells, 315
blood platelets -- Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404
bone resorption -- Effects of plasminogen and interleukin-1ß on bone resorption *in vitro*, 394
bovine muscle -- Identification of the 30-kDa polypeptide in *post mortem* skeletal muscle as a degradation product of troponin-T, 369
Bradyrhizobium -- Purification of an α-L-fucose-binding protein from *Rhizobium lupini*, 121
branched-chain amino acids -- Protein metabolism in the cancer patient, 713

C

20°C block -- Prohormone processing in permeabilized cells: Endoproteolytic cleavage of prosomatostatin in the *trans*-Golgi network, 257
c-myc -- Regulation and function of non-AUG-initiated proto-oncogenes, 880
c-type cytochromes -- Recent progress in the electrochemistry of c-type cytochromes, 605
cadmium detoxification -- Stress proteins in the polychaete annelid *Nereis diversicolor* induced by heat shock or cadmium exposure, 423
calcium -- T4-Lymphocyte endoprotease responsible for the proteolytic processing of HIV-1 GP160, like Kex2p endoprotease, is a calcium-dependent enzyme, 251 -- Mechanisms of translational control in liver and skeletal muscle, 729
CAM plasmid -- Nucleotide sequence of the gene encoding a repressor for the cytochrome P-450cam hydroxylase operon on the *Pseudomonas putida* CAM plasmid, 63

cam repressor -- Nucleotide sequence of the gene encoding a repressor for the cytochrome P-450cam hydroxylase operon on the *Pseudomonas putida* CAM plasmid, 63
camR -- Nucleotide sequence of the gene encoding a repressor for the cytochrome P-450cam hydroxylase operon on the *Pseudomonas putida* CAM plasmid, 63
Candida -- Unique structure of new serine tRNAs responsible for decoding leucine codon CUG in various *Candida* species and their putative ancestral tRNA genes, 1217
carAB -- On the role of the *Escherichia coli* integration host factor (IHF) in repression at a distance of the pyrimidine specific promoter P1 of the *carAB* operon, 1041
carboxypeptidase E -- Regional distribution of neuropeptide processing endopeptidases in adult rat brain, 245
carboxypeptidase H -- Expression of the carboxypeptidase E gene: Characterization of the initiator-binding proteins, 336
catecholamines -- Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404
Catharanthus roseus -- 2,4-D and alkaloid accumulation in periwinkle cell suspensions, 410
caulimoviruses -- Patterns of nucleotide variation among cauliflower mosaic virus isolates, 3
cdk -- Into and out of G1: The control of cell proliferation, 887
cell cycle -- Into and out of G1: The control of cell proliferation, 887
cell cycle control -- Characterisation of mutant alleles of the cell division protein FtsA, a regulator and structural component of the *Escherichia coli* septator, 1071
cell division -- Characterisation of mutant alleles of the cell division protein FtsA, a regulator and structural component of the *Escherichia coli* septator, 1071
cell suspension -- 2,4-D and alkaloid accumulation in periwinkle cell suspensions, 410
cellular expression -- The family of subtilisin/kexin like pro-protein and pro-hormone convertases: Divergent or shared functions, 197
cellular uptake -- Effect of derivatization of ribophosphate backbone and terminal ribophosphate groups in oligoribonucleotides on their stability and interaction with eukaryotic cells, 23
CFA/I fimbriae -- Regions of the CFA/I promoter involved in the activation by the transcriptional activator CfaD and repression by the histone-like protein H-NS, 1052
chain condensation -- Chain condensation in protein folding, 384
challenge phage -- Mutants of *Escherichia coli* integration host factor: DNA-binding and recombination properties, 1030
chimeric proteins -- Genetic and biochemical analysis of IHF/HU hybrid proteins, 941
chondroitin sulphates -- Determination of the HNK-1 epitope (3-sulphated glucuronic acid) in intact chondroitin sulphates by ELISA. Application to squid skin proteoglycans and their oversulphated carbohydrate structures, 79
chromaffin cells -- Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404
chromaffin granules -- Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404
chromogranins -- Peptides derived from the granins (chromogranins/secretogranins), 277
chromosome loss -- The mitochondrial histone HM: An evolutionary link between bacterial HU and nuclear HMG1 proteins, 909
cloning -- Molecular biology of c-type cytochromes from *Desulfovibrio vulgaris* Hildenborough, 554
codon context -- Codon context and protein synthesis: Enhancements of the genetic code, 351
codon-anticodon interaction -- Effect of the nucleotide-37 on the interaction of $tRNA^{Phe}$ with the P site of *Escherichia coli* ribosomes, 51
cold shock protein -- Interaction of the main cold shock protein CS7.4 (CspA) of *Escherichia coli* with the promoter region of *hns*, 1090
complex formation -- The cytochrome b_5-fold: An adaptable module, 674
conformation -- Identification of a sorting signal for the regulated secretory pathway at the N-terminus of pro-opiomelanocortin, 265
consensus -- Patterns of nucleotide variation among cauliflower mosaic virus isolates, 3
cooperativity -- Multiple molecules of integration host factor (IHF) at a single DNA binding site, the bacteriophage λ cos I1 site, 1005
covalent catalysis -- Enzymatic mechanism of tRNA (m^5U54)methyltransferase, 1133
cross-linking -- Binding of the eukaryotic initiation factor-2 and *trans*-acting factors to the 5'untranslated region of encephalomyocarditis virus RNA, 801 -- Recombinant photoreactive tRNA molecules as probes for cross-linking studies, 1235
crystal structure -- Molecular and structural basis of electron transfer in tetra- and octa-heme cytochromes, 546
CTP synthetase -- RNA editing in the replication cycle of human hepatitis delta virus, 1205
cyclic AMP -- Cyclic AMP regulation of annexins I, II, V synthesis and localization in cultured thyroid cells, 417
cyclic-AMP receptor protein -- Fluorescence study on the non-specific binding of cyclic-AMP receptor protein to DNA: Effect of pH, 133
cyclin -- Into and out of G1: The control of cell proliferation, 887
Cys-X1-X2-Cys -- Functional sites of cytochrome c and other electron carrier proteins: Semi-empirical molecular orbital program PM3 applied to the conformational analysis of Cys-X1-X2-Cys peptides, 614
cystatin -- New substrates of papain, based on the conserved sequence of natural inhibitors of the cystatin family, 153
cysteine proteinase -- New substrates of papain, based on the conserved sequence of natural inhibitors of the cystatin family, 153
cytochrome b_5 -- Analysis of the bimolecular reduction of ferricytochrome c by ferrocytochrome b_5 through mutagenesis and molecular modelling, 592
cytochrome c -- Immunoreactivity of c: Antibodies to horse cytochrome c distinguish between sequence-related cytochromes only at the level of the 3-D-structure, 465 -- The protein moiety modulates the redox potentials in cytochromes c, 471 -- Protein interaction sites obtained *via* sequence homology. The site of complexation of electron transfer partners of cytochrome c revealed by mapping amino acid substitutions onto three-dimensional protein surfaces, 480 -- The interaction of horse heart cytochrome c with phospholipid bilayers. Structural and dynamic effects, 489 -- Involvement of electrostatic interactions in cytochrome c complex formations, 515 -- Recent advances in the characterization of the hexadecahemic cytochrome c from *Desulfovibrio*, 561 -- Interaction between cytochrome c and the photosynthetic reaction center of purple bacteria: Behaviour at low temperature, 569 -- Functional sites of cytochrome c and other electron carrier proteins: Semi-empirical molecular orbital program PM3 applied to the conformational analysis of Cys-X1-X2-Cys peptides, 614 -- Nuclear magnetic resonance studies of cytochromes c in solution, 631 -- Resonance Raman spectroscopy of c-type cytochromes, 693
cytochrome c' -- Amino acid sequences of cytochromes c2 and c' from the moderately halophilic purple phototrophic bacterium *Rhodospirillum salexigens*, 583
cytochrome c2 -- Amino acid sequences of cytochromes c2 and c' from the moderately halophilic purple phototrophic bacterium *Rhodospirillum salexigens*, 583 -- Strategies for the study of cytochrome c structure and function by site-directed mutagenesis, 622
cytochrome c3 -- Individual redox characteristics and kinetic properties of the hemes in cytochromes c3: New methods of investigation, 524 -- A detailed comparison of the refined structures of cytochrome c3 molecules from two strains in *Desulfovibrio vulgaris*: The relationship between the heme structures and their redox properties, 537 -- Molecular and structural basis of electron transfer in tetra- and octa-heme cytochromes, 546
cytochrome c551 -- *Pseudomonas aeruginosa* nitrite reductase (or cytochrome oxidase): An overview, 641
cytochrome cd1 -- *Pseudomonas aeruginosa* nitrite reductase (or cytochrome oxidase): An overview, 641
cytochromes -- Individual redox characteristics and kinetic properties of the hemes in cytochromes c3: New methods of investigation, 524 -- Molecular biology of c-type cytochromes from *Desulfovibrio vulgaris* Hildenborough, 554
cytokinin -- Synthesis and function of isopentenyl adenosine derivatives in tRNA, 1152
cytolysis -- A direct spectrophotometric method for monitoring the kinetics of T-cell cytolysis, 452

cytosol -- How single genes provide tRNA processing enzymes to mitochondria, nuclei and the cytosol, 1161

D

3-D modelling -- Comparison of solution structure of free and complexed *lac* operator by molecular modelling with NMR constraints, 141
3-D protein surface -- Protein interaction sites obtained *via* sequence homology. The site of complexation of electron transfer partners of cytochrome c revealed by mapping amino acid substitutions onto three-dimensional protein surfaces, 480
2,4-D -- 2,4-D and alkaloid accumulation in periwinkle cell suspensions, 410
2D NOESY -- Effect of nucleoside modifications on the structure and thermal stability of *Escherichia coli* valine tRNA,1192
Dam methylation -- On the role of the *Escherichia coli* integration host factor (IHF) in repression at a distance of the pyrimidine specific promoter P1 of the *carAB* operon,1041
deletion mutants -- Requirements for editing in the genomic RNA of hepatitis delta virus, 1209
denitrification -- *Pseudomonas aeruginosa* nitrite reductase (or cytochrome oxidase): An overview, 641
Desulfovibrio -- Molecular and structural basis of electron transfer in tetra- and octa-heme cytochromes, 546 -- Molecular biology of c-type cytochromes from *Desulfovibrio vulgaris* Hildenborough, 554 -- Recent advances in the characterization of the hexadecahemic cytochrome c from *Desulfovibrio*, 561
diabetes mellitus -- Mechanisms of translational control in liver and skeletal muscle, 729
diadenosine tetraphosphate -- Diadenosine 5',5'''-P^1,P^4-tetraphosphate (Ap_4A), ATP and catecholamine content in bovine adrenal medulla, chromaffin granules and chromaffin cells, 404
dipeptidyl peptidase IV -- Post-secretory processing of regulatory peptides: The pancreatic polypeptide family as a model example, 283
DNA bending -- Interaction of Fis protein with DNA: Bending and specificity of binding, 958 -- HU and functional analogs in eukaryotes promote Hin invertasome assembly, 992 -- Multiple molecules of integration host factor (IHF) at a single DNA binding site, the bacteriophage λ cos I1 site, 1005
DNA binding proteins -- An analysis of subunit exchange in the dimeric DNA-binding and DNA-bending protein, TF1, 933
DNA domains -- H-NS overexpression induces an artificial stationary phase by silencing global transcription, 1019
DNA footprinting -- Multiple molecules of integration host factor (IHF) at a single DNA binding site, the bacteriophage λ cos I1 site, 1005
DNA protein interaction -- The IHF protein of *Rhodobacter capsulatus* and *Pseudomonas aeruginosa*, 951
DNA radiolysis -- Sites of strand breakage in DNA irradiated by fast neutrons, 187
DNA supercoiling -- The chromatin-associated protein H-NS, 968
DNA-binding -- Genetic and biochemical analysis of IHF/HU hybrid proteins, 941 -- Mutants of *Escherichia coli* integration host factor: DNA-binding and recombination properties, 1030
DNA-dye interaction -- Interaction of Hoechst 33258 with a DNA triple helix, 181
DNA-protein cross-links -- Identification of the DNA-interacting sites of proteins: Microsequencing of the peptides cross-linked to 5-bromouracil substituted DNA, 129
DNA-protein interactions -- Identification of the DNA-interacting sites of proteins: Microsequencing of the peptides cross-linked to 5-bromouracil substituted DNA, 129
double-stranded RNA -- Regulation of the interferon-inducible eIF-2 protein kinase by small RNAs, 770 -- Endogenous inhibitors of the dsRNA-dependent eIF2 protein kinase PKR in normal and *ras*-transformed cells, 792
dual initiation -- Regulation and function of non-AUG-initiated proto-oncogenes, 880
dynorphin -- N-arginine dibasic convertase (NRD convertase): A newcomer to the family of processing endopeptidases. An overview, 234

E

eIF-2 binding -- Binding of the eukaryotic initiation factor-2 and *trans*-acting factors to the 5'untranslated region of encephalomyocarditis virus RNA, 801
eIF-2α kinase -- Endogenous inhibitors of the dsRNA-dependent eIF2 protein kinase PKR in normal and *ras*-transformed cells, 792
eIF-4E -- Regulation of translation and cell growth by eIF-4E, 839
electrochemistry -- Recent progress in the electrochemistry of c-type cytochromes, 605
electron carrier protein -- Functional sites of cytochrome c and other electron carrier proteins: Semi-empirical molecular orbital program PM3 applied to the conformational analysis of Cys-X1-X2-Cys peptides, 614
electron transfer -- Involvement of electrostatic interactions in cytochrome c complex formations, 515 -- Individual redox characteristics and kinetic properties of the hemes in cytochromes c3: New methods of investigation, 524 -- Molecular and structural basis of electron transfer in tetra- and octa-heme cytochromes, 546 -- Interaction between cytochrome c and the photosynthetic reaction center of purple bacteria: Behaviour at low temperature, 569 -- Analysis of the bimolecular reduction of ferricytochrome c by ferrocytochrome b5 through mutagenesis and molecular modelling, 592 -- Strategies for the study of cytochrome c structure and function by site-directed mutagenesis, 622 -- Structure and function of the tetraheme cytochrome associated to the reaction center of *Roseobacter denitrificans*, 666 -- The cytochrome b_5-fold: An adaptable module, 674
electron transfer proteins -- Localization and specificity of cytochromes and other electron transfer proteins from sulfur-reducing bacteria, 655
electron transport -- Molecular biology of c-type cytochromes from *Desulfovibrio vulgaris* Hildenborough, 554
electrostatic interactions -- Involvement of electrostatic interactions in cytochrome c complex formations, 515
elongation factor Tu -- Two GTPs are hydrolysed on two molecules of EF-Tu for each elongation cycle during code translation, 59
encephalomyocarditis virus -- Binding of the eukaryotic initiation factor-2 and *trans*-acting factors to the 5'untranslated region of encephalomyocarditis virus RNA, 801
endopeptidase 24.15 -- The role of EC 3.4.24.15 in the post-secretory regulation of peptide signals, 288
endorphin -- Regional distribution of neuropeptide processing endopeptidases in adult rat brain, 245
energy metabolism -- Two GTPs are hydrolysed on two molecules of EF-Tu for each elongation cycle during code translation, 59
enkephalin -- Regional distribution of neuropeptide processing endopeptidases in adult rat brain, 245
enkephalin convertase -- Expression of the carboxypeptidase E gene: Characterization of the initiator-binding proteins, 336
enterotoxigenic -- Regions of the CFA/I promoter involved in the activation by the transcriptional activator CfaD and repression by the histone-like protein H-NS,1052
Epstein-Barr virus -- Regulation of the interferon-inducible eIF-2 protein kinase by small RNAs, 770
Erwinia chrysanthemi -- Identification of the integration host factor genes of Erwinia chrysanthemi 3937,1055
erythroid -- Regulation of heme-regulated eIF-2 kinase and its expression in erythroid cells, 761
Escherichia coli -- Effect of the nucleotide-37 on the interaction of $tRNA^{Phe}$ with the P site of *Escherichia coli* ribosomes, 51 -- Characterization and expression of a gene encoding serine $tRNA_5$ from *Escherichia coli*, 83 -- High level expression of rat γ-D crystallin in *E coli*, 398 -- Regions of the CFA/I promoter involved in the activation by the transcriptional activator CfaD and repression by the histone-like protein H-NS,1052 -- Characterisation of mutant alleles of the cell division protein FtsA, a regulator and structural component of the *Escherichia coli* septator, 1071
ester-bond hydrolysis -- Dual hydrlytic role for Pb(II) ions, 15
eukaryotic initiation factor 2 -- Translational control during amino acid starvation, 718 -- Mechanisms of translational control in liver and skeletal muscle, 729
eukaryotic initiation factor 2B -- Translational control during amino acid starvation, 718 -- Mechanisms of translational control in liver and skeletal muscle, 729
eukaryotic initiation factors -- The yeast *Saccharomyces cerevisiae* system: A powerful tool to study the mechanism of protein synthesis initiation in eukaryotes, 853
evolution -- The cytochrome b_5-fold: An adaptable module, 674
exchange factor -- The guanine nucleotide-exchange factor, eIF-2B, 748

exchange rates -- Nuclear magnetic resonance studies of cytochromes c in solution, 631
exocytosis -- Regulated cleavage of the Alzheimer amyloid precursor protein: Molecular and cellular basis, 300
expression plasmid -- High level expression of rat γ-D crystallin in *E coli*, 398
extracellular processing -- Miniglucagon production from glucagon: An extracellular processing of a hormone used as a prohormone, 295

F

5-fluorouridine -- Pseudouridine formation in small nuclear RNAs, 1129
facto-dependent extracts -- The yeast *Saccharomyces cerevisiae* system: A powerful tool to study the mechanism of protein synthesis initiation in eukaryotes, 853
ferredoxin -- Functional sites of cytochrome c and other electron carrier proteins: Semi-empirical molecular orbital program PM3 applied to the conformational analysis of Cys-X1-X2-Cys peptides, 614
ferrocytochrome b_2-cytochrome c complex -- Structural studies on recombinant and point mutations of flavocytochrome b_2, 501
Fis protein -- Functions of histone-like proteins in the initiation of DNA replication at oriC of *Escherichia coli*, 917 -- Interaction of Fis protein with DNA: Bending and specificity of binding, 958
Fis-binding site -- Transcriptional patterns of the *mutL-miaA* superoperon of *Escherichia coli* K-12 suggest a model for posttranscriptional regulation, 1168
flavocytochrome b_2 -- Structural studies on recombinant and point mutations of flavocytochrome b_2, 501
fluorogenic substrate -- New substrates of papain, based on the conserved sequence of natural inhibitors of the cystatin family, 153
fMet-tRNA binding -- Methylation of the conserved A1518-A1519 in *Escherichia coli* 16S ribosomal RNA by the *ksgA* methyltransferase is influenced by mutations around the similarly conserved U512-G1523 base pair in the 3' terminal hairpin,1123
free radical -- Interest of photochemical methods for induction of lipid peroxidation, 355
fructose-1,6-bisphosphatase -- Some aspects of carbohydrate metabolism in the brain, 111
FtsA -- Characterisation of mutant alleles of the cell division protein FtsA, a regulator and structural component of the *Escherichia coli* septator,1071
furin -- Processing of viral glycoproteins by the subtilisin-like endoprotease furin and its inhibition by specific peptidylchloroalkylketones, 217
furin enzyme -- Furin-mediated proprotein processing activity: Involvement of negatively charged amino acid residues in the substrate binding region, 210

G-H

G1 -- Into and out of G1: The control of cell proliferation, 887
γ-crystallin -- High level expression of rat γ-D crystallin in *E coli*, 398
GCN4 -- Translational control during amino acid starvation, 718
gel retardation -- An analysis of subunit exchange in the dimeric DNA-binding and DNA-bending protein, TF1, 933 -- Interaction of Fis protein with DNA: Bending and specificity of binding, 958
gene cloning -- Cloning and expression of two *Pasteurella multocida* genes in *Escherichia coli*, 9 -- Protein HU from the cyanobacterium *Anabaena*,1082
gene expression -- Expression of initiation factor genes in mammalian cells, 847 -- The chromatin-associated protein H-NS, 968
gene structure -- Unique structure of new serine tRNAs responsible for decoding leucine codon CUG in various *Candida* species and their putative ancestral tRNA genes, 1217
global regulation -- The role of H-NS in one carbon metabolism,1063
glucagon -- Miniglucagon production from glucagon: An extracellular processing of a hormone used as a prohormone, 295
glucose -- Some aspects of carbohydrate metabolism in the brain, 111
glycogen -- Some aspects of carbohydrate metabolism in the brain, 111
glycoprotein -- T4-Lymphocyte endoprotease responsible for the proteolytic processing of HIV-1 GP160, like Kex2p endoprotease, is a calcium-dependent enzyme, 251
glycosidase -- Purification of an α-L-fucose-binding protein from *Rhizobium lupini*, 121
gonadotropin-releasing hormone -- The role of EC 3.4.24.15 in the post-secretory regulation of peptide signals, 288
growth regulation -- Regulation of the interferon-inducible eIF-2 protein kinase by small RNAs, 770
GTP-hydrolysis -- Two GTPs are hydrolysed on two molecules of EF-Tu for each elongation cycle during code translation, 59
guanine nucleotide -- The guanine nucleotide-exchange factor, eIF-2B, 748
5-HT1A receptor -- Production of anti-peptide antibodies directed against the first and second extracellular loop of the human serotonin 5-HT1A receptor, 165
^{1}H NMR -- Effect of nucleoside modifications on the structure and thermal stability of *Escherichia coli* valine tRNA, 1192
H-NS -- The chromatin-associated protein H-NS, 968 -- The role of H-NS in one carbon metabolism, 1063
H-NS protein -- H-NS overexpression induces an artificial stationary phase by silencing global transcription, 1019
heat shock -- Translational control during heat shock, 737
heat shock protein -- Translational control during heat shock, 737
heat shock proteins -- Stress proteins in the polychaete annelid *Nereis diversicolor* induced by heat shock or cadmium exposure, 423
helicase -- Eukaryotic protein synthesis: An *in vitro* analysis, 822
heme -- Nuclear magnetic resonance studies of cytochromes c in solution, 631 -- Regulation of heme-regulated eIF-2 kinase and its expression in erythroid cells, 761
heme environment -- Molecular and structural basis of electron transfer in tetra- and octa-heme cytochromes, 546
heme structure -- A detailed comparison of the refined structures of cytochrome c3 molecules from two strains in *Desulfovibrio vulgaris*: The relationship between the heme structures and their redox properties, 537 -- Resonance Raman spectroscopy of c-type cytochromes, 693
heparin binding site -- Identification and regulation of the high affinity binding site of the Alzheimer's disease amyloid protein precursor (APP) to glycosaminoglycans, 304
hepatitis delta virus -- RNA editing in the replication cycle of human hepatitis delta virus, 1205 -- Requirements for editing in the genomic RNA of hepatitis delta virus, 1209
heterocyst differentiation -- Protein HU from the cyanobacterium *Anabaena*, 1082
high mobility group -- The mitochondrial histone HM: An evolutionary link between bacterial HU and nuclear HMG1 proteins, 909 -- The human testis determining factor SRY: A new member of the HMG box protein family,1075
high mobility group proteins -- HU and functional analogs in eukaryotes promote Hin invertasome assembly, 992
himA -- Identification of the integration host factor genes of *Erwinia chrysanthemi* 3937, 1055
himD -- Identification of the integration host factor genes of *Erwinia chrysanthemi* 3937, 1055
Hin site-specific recombination -- HU and functional analogs in eukaryotes promote Hin invertasome assembly, 992
histone-like proteins -- The chromatin-associated protein H-NS, 968 -- Phage Ø29 protein p6: A viral histone-like protein, 981 -- Regions of the CFA/I promoter involved in the activation by the transcriptional activator CfaD and repression by the histone-like protein H-NS, 1052
histones -- Histones, HMS, HU: *Même combat*, 901
HIV -- T4-Lymphocyte endoprotease responsible for the proteolytic processing of HIV-1 GP160, like Kex2p endoprotease, is a calcium-dependent enzyme, 251
HMG -- Histones, HMS, HU: *Même combat*, 901
HMG box -- The mitochondrial histone HM: An evolutionary link between bacterial HU and nuclear HMG1 proteins, 909 -- The human testis determining factor SRY: A new member of the HMG box protein family, 1075
HNK-1 monoclonal antibody -- Determination of the HNK-1 epitope (3-sulphated glucuronic acid) in intact chondroitin sulphates by ELISA. Application to squid skin proteoglycans and their oversulphated carbohydrate structures, 79
hns promoter -- Interaction of the main cold shock protein CS7.4 (CspA) of *Escherichia coli* with the promoter region of *hns*, 1090
Hoechst 33258 -- Interaction of Hoechst 33258 with a DNA triple helix, 181
HU -- Histones, HMS, HU: *Même combat*, 901 -- Functions of histone-like proteins in the initiation of DNA replication at oriC of *Escherichia coli*, 917 -- An analysis of subunit exchange in the dimeric DNA-binding and DNA-

bending protein, TF1, 933 -- HU and functional analogs in eukaryotes promote Hin invertasome assembly, 992
HU protein -- Genetic and biochemical analysis of IHF/HU hybrid proteins, 941 -- H-NS overexpression induces an artificial stationary phase by silencing global transcription, 1019
HU-DNA complexes -- Protein HU from the cyanobacterium *Anabaena*,1082
hydrogenase -- Localization and specificity of cytochromes and other electron transfer proteins from sulfur-reducing bacteria, 655
hydroperoxide -- Interest of photochemical methods for induction of lipid peroxidation, 355
hydrophobic haptens -- Dye hydrophobic hapten conjugate/anti-dye antibody complex as immunogen: Preparation of hydrophobic hapten-specific monoclonal antibodies, 171
hypothalamo-pituitary axis -- The role of EC 3.4.24.15 in the post-secretory regulation of peptide signals, 288

I-J

IHF -- Histones, HMS, HU: *Même combat*, 901 -- Functions of histone-like proteins in the initiation of DNA replication at *oriC* of *Escherichia coli*, 917 -- Genetic and biochemical analysis of IHF/HU hybrid proteins, 941 -- The IHF protein of *Rhodobacter capsulatus* and *Pseudomonas aeruginosa*, 951 -- Identification of the integration host factor genes of *Erwinia chrysanthemi* 3937, 1055
imino proton resonances -- Effect of nucleoside modifications on the structure and thermal stability of *Escherichia coli* valine tRNA, 1192
immature secretory granule -- Antibodies to secretogranin II reveal potential processing sites, 271
immune complex -- Dye hydrophobic hapten conjugate/anti-dye antibody complex as immunogen: Preparation of hydrophobic hapten-specific monoclonal antibodies, 171
immune response -- Immunoreactivity of c: Antibodies to horse cytochrome c distinguish between sequence-related cytochromes only at the level of the 3-D-structure, 465
immunocytochemistry -- Modulation of the biological activity of thyrotropin-releasing hormone by alternate processing of pro-TRH, 320
immunogen -- Dye hydrophobic hapten conjugate/anti-dye antibody complex as immunogen: Preparation of hydrophobic hapten-specific monoclonal antibodies, 171
in situ hybridization -- Co-expression of PC2 and proenkephalin in human tumoral adrenal medullary tissues, 241
incompatibility -- P1 Plasmid partition: Binding of P1 ParB protein and *Escherichia coli* integration host factor to altered *parS* sites, 924
indole alkaloid -- 2,4-D and alkaloid accumulation in periwinkle cell suspensions, 410
initiation -- Translational control during heat shock, 737 -- Regulation of heme-regulated eIF-2 kinase and its expression in erythroid cells, 761 -- Regulation of translation by specific protein/mRNA interactions, 867
initiation factor -- The N-terminal half of the initiator factor IF3 is folded as a stable independent domain, 376 -- The guanine nucleotide-exchange factor, eIF-2B, 748 -- Eukaryotic protein synthesis: An *in vitro* analysis, 822 -- Participation of initiation factors in the recruitment of mRNA to ribosomes, 831
initiation of DNA replication -- Phage Ø29 protein p6: A viral histone-like protein, 981
initiation of protein synthesis -- The yeast *Saccharomyces cerevisiae* system: A powerful tool to study the mechanism of protein synthesis initiation in eukaryotes, 853
initiation of translation -- Determinants of translational fidelity and efficiency in vertebrate mRNAs, 815
initiator -- Expression of the carboxypeptidase E gene: Characterization of the initiator-binding proteins, 336
insect cells -- A recombinant form of angiotensin converting enzyme expressed from baculovirus-infected insect cells, 312
insulin -- Mechanisms of translational control in liver and skeletal muscle, 729
insulinase -- N-arginine dibasic convertase (NRD convertase): A newcomer to the family of processing endopeptidases. An overview, 234
integration host factor -- Mutants of *Escherichia coli* integration host factor: DNA-binding and recombination properties, 1030 -- On the role of the *Escherichia coli* integration host factor (IHF) in repression at a distance of the pyrimidine specific promoter P1 of the *carAB* operon,1041
interleukin-1β -- Effects of plasminogen and interleukin-1ß on bone resorption *in vitro*, 394
intron -- Protein processing and morphogenesis of secretory granules in *Paramecium*, 329
invertebrates -- Stress proteins in the polychaete annelid *Nereis diversicolor* induced by heat shock or cadmium exposure, 423
iso-1 cytochrome c -- Analysis of the bimolecular reduction of ferricytochrome c by ferrocytochrome b_5 through mutagenesis and molecular modelling, 592
isopentenyl adenosine -- Synthesis and function of isopentenyl adenosine derivatives in tRNA, 1152

K-L

30 kDa polypeptide -- Identification of the 30-kDa polypeptide in *post mortem* skeletal muscle as a degradation product of troponin-T, 369
100-kDa protease -- Miniglucagon production from glucagon: An extracellular processing of a hormone used as a prohormone, 295
Kex2 -- Cleavage of prosomatostatins by the yeast Yap3 and Kex2 endoprotease, 226
Kex2p -- T4-Lymphocyte endoprotease responsible for the proteolytic processing of HIV-1 GP160, like Kex2p endoprotease, is a calcium-dependent enzyme, 251
kinase inhibitors -- Endogenous inhibitors of the dsRNA-dependent eIF2 protein kinase PKR in normal and *ras*-transformed cells, 792
kinetic assay -- A direct spectrophotometric method for monitoring the kinetics of T-cell cytolysis, 452
kinetics -- Chain condensation in protein folding, 384 -- Individual redox characteristics and kinetic properties of the hemes in cytochromes c3: New methods of investigation, 524
***ksgA* methylase** -- Methylation of the conserved A1518-A1519 in *Escherichia coli* 16S ribosomal RNA by the *ksgA* methyltransferase is influenced by mutations around the similarly conserved U512-G1523 base pair in the 3' terminal hairpin,1123
3'-3'-linkage -- Effect of derivatization of ribophosphate backbone and terminal ribophosphate groups in oligoribonucleotides on their stability and interaction with eukaryotic cells, 23
labeled lysyl residues -- Modification of aminoacyl-tRNA synthetases with pyridoxal-5'-phosphate. Identification of the labeled amino acid residues, 33
***lac* operator** -- Comparison of solution structure of free and complexed *lac* operator by molecular modelling with NMR constraints, 141
lead ions -- Dual hydrlytic role for Pb(II) ions, 15
lectin -- Purification of an α-L-fucose-binding protein from *Rhizobium lupini*, 121
limited proteolysis -- The N-terminal half of the initiator factor IF3 is folded as a stable independent domain, 376
lipid-protein interactions -- The interaction of horse heart cytochrome c with phospholipid bilayers. Structural and dynamic effects, 489
localization -- Localization and specificity of cytochromes and other electron transfer proteins from sulfur-reducing bacteria, 655
lupin -- Purification of an α-L-fucose-binding protein from *Rhizobium lupini*, 121

M

mass spectrometry -- The N-terminal half of the initiator factor IF3 is folded as a stable independent domain, 376
membrane -- The interaction of horse heart cytochrome c with phospholipid bilayers. Structural and dynamic effects, 489
Met-tRNA$_i$ -- Eukaryotic protein synthesis: An *in vitro* analysis, 822
metal ions -- Dual hydrolytic role for Pb(II) ions, 15
metalloendopeptidase -- N-arginine dibasic convertase (NRD convertase): A newcomer to the family of processing endopeptidases. An overview, 234
metallopeptidases -- Post-secretory processing of regulatory peptides: The pancreatic polypeptide family as a model example, 283
methidiumpropyl-EDTA -- Functions of histone-like proteins in the initiation of DNA replication at *oriC* of *Escherichia coli*, 917
methionine sulfoxime -- Some aspects of carbohydrate metabolism in the brain, 111
methylation -- Enzymatic mechanism of tRNA (m^5U54)methyltransferase,1133 -- Aminoacyl-tRNA synthetase and U_{54} methyltransferase recognize conformations of the yeast tRNAPhe anticodon and T stem/loop

domain,1143 -- Synthesis and function of isopentenyl adenosine derivatives in tRNA, 1152
methyltransferase -- N^{6}-Adenosine methylation in mRNA: Substrate specificity and enzyme complexity, 1109
minichromosomes -- Functions of histone-like proteins in the initiation of DNA replication at *oriC* of *Escherichia coli*, 917
miniglucagon -- Miniglucagon production from glucagon: An extracellular processing of a hormone used as a prohormone, 295
mitochondria -- How single genes provide tRNA processing enzymes to mitochondria, nuclei and the cytosol, 1161
mobile heme-binding domain -- The cytochrome b_5-fold: An adaptable module, 674
modified nucleosides -- Aminoacyl-tRNA synthetase and U_{54} methyltransferase recognize conformations of the yeast $tRNA^{Phe}$ anticodon and T stem/loop domain, 1143 -- Synthetic oligoribonucleotides carrying site-specific modifications for RNA structure-function analysis, 1223
modified nucleotide -- Effect of the nucleotide-37 on the interaction of tRNA-Phe with the P site of *Escherichia coli* ribosomes, 51 -- tRNA-guanine transglycolase from *Escherichia coli*: Recognition of dimeric, unmodified $tRNA^{Tyr}$, 1183
molecular computing -- The IHF protein of *Rhodobacter capsulatus* and *Pseudomonas aeruginosa*, 951
molecular recognition -- The cytochrome b_5-fold: An adaptable module, 674
monoclonal antibodies -- Dye hydrophobic hapten conjugate/anti-dye antibody complex as immunogen: Preparation of hydrophobic hapten-specific monoclonal antibodies, 171
mRNA -- Codon context and protein synthesis: Enhancements of the genetic code, 351 -- Eukaryotic protein synthesis: An *in vitro* analysis, 822 -- Participation of initiation factors in the recruitment of mRNA to ribosomes, 831 -- Regulation of translation and cell growth by eIF-4E, 839
mRNA methylation -- N^{6}-Adenosine methylation in mRNA: Substrate specificity and enzyme complexity, 1109
mRNA secondary structure -- Potential secondary structure at the translational start domain of eukaryotic and prokaryotic mRNAs, 428
mRNA structure -- Determinants of translational fidelity and efficiency in vertebrate mRNAs, 815
multigene family -- Protein processing and morphogenesis of secretory granules in *Paramecium*, 329
multihemic protein -- Recent advances in the characterization of the hexadecahemic cytochrome c from *Desulfovibrio*, 561
mutL-miaA -- Transcriptional patterns of the *mutL-miaA* superoperon of *Escherichia coli* K-12 suggest a model for posttranscriptional regulation,1168

N-M

N-t sequence -- Threonyl-tRNA synthetase from *Thermus thermophilus*: Purification and some structural and kinetic properties, 71
N^{6}-adenosine -- N^{6}-Adenosine methylation in mRNA: Substrate specificity and enzyme complexity,1109
nervous system -- Some aspects of carbohydrate metabolism in the brain, 111
Neuro2A -- Heterologous biosynthesis and processing of preprovasopressin in Neuro2A neuroblastoma cells, 315
neuroblastoma -- Heterologous biosynthesis and processing of preprovasopressin in Neuro2A neuroblastoma cells, 315
neuropeptide biosynthesis -- Regional distribution of neuropeptide processing endopeptidases in adult rat brain, 245
neuropeptide Y -- Post-secretory processing of regulatory peptides: The pancreatic polypeptide family as a model example, 283
neuropeptides -- Modulation of the biological activity of thyrotropin-releasing hormone by alternate processing of pro-TRH, 320
NifS -- A *Lactobacillus nifS*-like gene suppresses an *Escherichia coli* transaminase B mutation, 45
nitrite reductase -- *Pseudomonas aeruginosa* nitrite reductase (or cytochrome oxidase): An overview, 641
NMR -- Comparison of solution structure of free and complexed *lac* operator by molecular modelling with NMR constraints, 141
non-AUG initiation -- Regulation and function of non-AUG-initiated proto-oncogenes, 880
non-universal genetic code -- Unique structure of new serine tRNAs responsible for decoding leucine codon CUG in various *Candida* species and their putative ancestral tRNA genes, 1217
Northern analysis -- The family of subtilisin/kexin like pro-protein and prohormone convertases: Divergent or shared functions, 197
Northern blot -- Co-expression of PC2 and proenkephalin in human tumoral adrenal medullary tissues, 241
nuclear magnetic resonance -- The N-terminal half of the initiator factor IF3 is folded as a stable independent domain, 376 -- A detailed comparison of the refined structures of cytochrome c3 molecules from two strains in *Desulfovibrio vulgaris*: The relationship between the heme structures and their redox properties, 537 -- Nuclear magnetic resonance studies of cytochromes c in solution, 631
nuclease degradation -- Effect of derivatization of ribophosphate backbone and terminal ribophosphate groups in oligoribonucleotides on their stability and interaction with eukaryotic cells, 23
nuclei -- How single genes provide tRNA processing enzymes to mitochondria, nuclei and the cytosol, 1161
nucleoid -- The chromatin-associated protein H-NS, 968 -- H-NS overexpression induces an artificial stationary phase by silencing global transcription, 1019
nucleoprotein complex -- P1 plasmid partition: Binding of P1 ParB protein and *Escherichia coli* integration host factor to altered parS sites, 924 -- Phage Ø29 protein p6: A viral histone-like protein, 981
nucleosides -- Characterization of a nucleolar 2'-O-methyltransferase and its involvement in the methylation of mouse precursor ribosomal RNA,1115
nucleotide sequence -- Nucleotide sequence of the gene encoding a repressor for the cytochrome P-450cam hydroxylase operon on the *Pseudomonas putida* CAM plasmid, 63
nucleotide sequencing -- Protein HU from the cyanobacterium *Anabaena*,1082
nucleotide substitution profile -- Patterns of nucleotide variation among cauliflower mosaic virus isolates, 3

O-P-Q

2'-O-methyl-oligoribonucleotides -- Effect of derivatization of ribophosphate backbone and terminal ribophosphate groups in oligoribonucleotides on their stability and interaction with eukaryotic cells, 23
2'-O-methyltransferase -- Characterization of a nucleolar 2'-O-methyltransferase and its involvement in the methylation of mouse precursor ribosomal RNA, 1115
oligoribonucleotides -- Synthetic oligoribonucleotides carrying site-specific modifications for RNA structure-function analysis, 1223
one carbon metabolism -- The role of H-NS in one carbon metabolism,1063
opioid peptide -- Regional distribution of neuropeptide processing endopeptidases in adult rat brain, 245
oxidoreduction proteins -- The protein moiety modulates the redox potentials in cytochromes c, 471
p52 and p57 binding -- Binding of the eukaryotic initiation factor-2 and *trans*-acting factors to the 5'untranslated region of encephalomyocarditis virus RNA, 801
pancreatic polypeptide -- Post-secretory processing of regulatory peptides: The pancreatic polypeptide family as a model example, 283
papain -- New substrates of papain, based on the conserved sequence of natural inhibitors of the cystatin family, 153
paramagnetic effect -- Nuclear magnetic resonance studies of cytochromes c in solution, 631
Paramecium -- Protein processing and morphogenesis of secretory granules in *Paramecium*, 329
Pasteurella multocida -- Cloning and expression of two *Pasteurella multocida* genes in *Escherichia coli*, 9
PC12 -- Antibodies to secretogranin II reveal potential processing sites, 271
PC2 -- Co-expression of PC2 and proenkephalin in human tumoral adrenal medullary tissues, 241
peptide -- Production of anti-peptide antibodies directed against the first and second extracellular loop of the human serotonin 5-HT1A receptor, 165
peptide YY -- Post-secretory processing of regulatory peptides: The pancreatic polypeptide family as a model example, 283
peptidylchloroalkylketones -- Processing of viral glycoproteins by the subtilisin-like endoprotease furin and its inhibition by specific peptidylchloroalkylketones, 217
permeabilized cells -- Prohormone processing in permeabilized cells: Endoproteolytic cleavage of prosomatostatin in the *trans*-Golgi network, 257

pH effect -- Fluorescence study on the non-specific binding of cyclic-AMP receptor protein to DNA: Effect of pH, 133
phage Ø29 -- Phage Ø29 protein p6: A viral histone-like protein, 981
phage SPO1 -- An analysis of subunit exchange in the dimeric DNA-binding and DNA-bending protein, TF1, 933
pheochromocytoma -- Co-expression of PC2 and proenkephalin in human tumoral adrenal medullary tissues, 241
phospholipids -- The interaction of horse heart cytochrome c with phospholipid bilayers. Structural and dynamic effects, 489
phosphoramidon -- Post-secretory processing of regulatory peptides: The pancreatic polypeptide family as a model example, 283
phosphoroamidates -- Effect of derivatization of ribophosphate backbone and terminal ribophosphate groups in oligoribonucleotides on their stability and interaction with eukaryotic cells, 23
phosphorothioates -- Effect of derivatization of ribophosphate backbone and terminal ribophosphate groups in oligoribonucleotides on their stability and interaction with eukaryotic cells, 23
phosphorylation -- Translational control during amino acid starvation, 718
photoreactive nucleosides -- Recombinant photoreactive tRNA molecules as probes for cross-linking studies, 1235
photosensitization -- Interest of photochemical methods for induction of lipid peroxidation, 355
photosynthesis -- Interaction between cytochrome c and the photosynthetic reaction center of purple bacteria: Behaviour at low temperature, 569
photosynthetic reaction center -- Structure and function of the tetraheme cytochrome associated to the reaction center of *Roseobacter denitrificans*, 666
PKR inhibitors -- Proteins that interact with PKR, 779
plasminogen -- Effects of plasminogen and interleukin-1ß on bone resorption *in vitro*, 394
plasminogen activator -- Effects of plasminogen and interleukin-1ß on bone resorption *in vitro*, 394
PM3 -- Functional sites of cytochrome c and other electron carrier proteins: Semi-empirical molecular orbital program PM3 applied to the conformational analysis of Cys-X1-X2-Cys peptides, 614
poly(A) tail -- Regulation of translation by specific protein/mRNA interactions, 867
poly(Phe) synthesis -- Methylation of the conserved A1518-A1519 in *Escherichia coli* 16S ribosomal RNA by the *ksgA* methyltransferase is influenced by mutations around the similarly conserved U512-G1523 base pair in the 3' terminal hairpin,1123
porcine cultured thyroid cells -- Cyclic AMP regulation of annexins I, II, V synthesis and localization in cultured thyroid cells, 417
porin H -- Cloning and expression of two *Pasteurella multocida* genes in *Escherichia coli*, 9
positive regulators -- Regions of the CFA/I promoter involved in the activation by the transcriptional activator CfaD and repression by the histone-like protein H-NS, 1052
post-transcriptional regulation -- Translational control of cytokine expression by 3' UA-rich sequences, 862
precursor convertases -- The family of subtilisin/kexin like pro-protein and pro-hormone convertases: Divergent or shared functions, 197
proenkephalin -- Co-expression of PC2 and proenkephalin in human tumoral adrenal medullary tissues, 241
prohormone -- Prohormone processing in permeabilized cells: Endoproteolytic cleavage of prosomatostatin in the *trans*-Golgi network, 257 -- Identification of a sorting signal for the regulated secretory pathway at the N-terminus of pro-opiomelanocortin, 265
prohormone processing -- Cleavage of prosomatostatins by the yeast Yap3 and Kex2 endoprotease, 226
prolyl endopeptidase -- The role of EC 3.4.24.15 in the post-secretory regulation of peptide signals, 288
proprotein processing -- Furin-mediated proprotein processing activity: Involvement of negatively charged amino acid residues in the substrate binding region, 210
prosomatostatin -- Cleavage of prosomatostatins by the yeast Yap3 and Kex2 endoprotease, 226
protein antigens -- Cloning and expression of two *Pasteurella multocida* genes in *Escherichia coli*, 9
protein conformation -- Immunoreactivity of c: Antibodies to horse cytochrome c distinguish between sequence-related cytochromes only at the level of the 3-D-structure, 465
protein dimers -- Two GTPs are hydrolysed on two molecules of EF-Tu for each elongation cycle during code translation, 59
protein folding -- The N-terminal half of the initiator factor IF3 is folded as a stable independent domain, 376 -- Chain condensation in protein folding, 384
protein interaction sites -- Protein interaction sites obtained *via* sequence homology. The site of complexation of electron transfer partners of cytochrome c revealed by mapping amino acid substitutions onto three-dimensional protein surfaces, 480
protein kinase -- Regulation of heme-regulated eIF-2 kinase and its expression in erythroid cells, 761 -- Endogenous inhibitors of the dsRNA-dependent eIF2 protein kinase PKR in normal and ras-transformed cells, 792
protein levels -- Expression of initiation factor genes in mammalian cells, 847
protein phosphorylation -- Regulated cleavage of the Alzheimer amyloid precursor protein: Molecular and cellular basis, 300 -- The guanine nucleotide-exchange factor, eIF-2B, 748
protein processing -- Regulated cleavage of the Alzheimer amyloid precursor protein: Molecular and cellular basis, 300 -- Protein processing and morphogenesis of secretory granules in *Paramecium*, 329
protein purification -- Threonyl-tRNA synthetase from *Thermus thermophilus*: Purification and some structural and kinetic properties, 71
protein sequence analysis -- A *Lactobacillus nifS*-like gene suppresses an *Escherichia coli* transaminase B mutation, 45
protein sequencing -- Identification of the DNA-interacting sites of proteins: Microsequencing of the peptides cross-linked to 5-bromouracil substituted DNA, 129
protein stability -- Strategies for the study of cytochrome c structure and function by site-directed mutagenesis, 622
protein synthesis -- Protein metabolism in the cancer patient, 713 -- Mechanisms of translational control in liver and skeletal muscle, 729 -- Regulation of the interferon-inducible eIF-2 protein kinase by small RNAs, 770 -- Participation of initiation factors in the recruitment of mRNA to ribosomes, 831 -- Regulation of translation and cell growth by eIF-4E, 839 -- Expression of initiation factor genes in mammalian cells, 847
protein-DNA interaction -- Fluorescence study on the non-specific binding of cyclic-AMP receptor protein to DNA: Effect of pH, 133 -- Interaction of Fis protein with DNA: Bending and specificity of binding, 958 -- Multiple molecules of integration host factor (IHF) at a single DNA binding site, the bacteriophage λ cos I1 site, 1005 -- Interaction of the main cold shock protein CS7.4 (CspA) of *Escherichia coli* with the promoter region of hns, 1090
protein-protein interaction -- Localization and specificity of cytochromes and other electron transfer proteins from sulfur-reducing bacteria, 655
protein-RNA interaction -- Regulation of translation by specific protein/mRNA interactions, 867
protein-RNA recognition -- Enzymatic mechanism of tRNA (m^5U54)methyltransferase, 1133 -- Synthetic oligoribonucleotides carrying site-specific modifications for RNA structure-function analysis, 1223
proteoglycans -- Determination of the HNK-1 epitope (3-sulphated glucuronic acid) in intact chondroitin sulphates by ELISA. Application to squid skin proteoglycans and their oversulphated carbohydrate structures, 79
proteolysis -- Identification of the 30-kDa polypeptide in *post mortem* skeletal muscle as a degradation product of troponin-T, 369
proteolytic activity -- Processing of viral glycoproteins by the subtilisin-like endoprotease furin and its inhibition by specific peptidylchloroalkylketones, 217
proteolytic processing -- Peptides derived from the granins (chromogranins/secretogranins), 277 -- Modulation of the biological activity of thyrotropin-releasing hormone by alternate processing of pro-TRH, 320
proto-oncogenes -- Regulation and function of non-AUG-initiated proto-oncogenes, 880
Pseudomonas aeruginosa -- *Pseudomonas aeruginosa* nitrite reductase (or cytochrome oxidase): An overview, 641 -- The IHF protein of *Rhodobacter capsulatus* and *Pseudomonas aeruginosa*, 951
Pseudomonas putida -- Nucleotide sequence of the gene encoding a repressor for the cytochrome P-450cam hydroxylase operon on the *Pseudomonas putida* CAM plasmid, 63
pseudouridine -- Pseudouridine formation in small nuclear RNAs,1129

pyridoxal 5'-phosphate -- Modification of aminoacyl-tRNA synthetases with pyridoxal-5'-phosphate. Identification of the labeled amino acid residues, 33
pyrimidine regulation -- On the role of the *Escherichia coli* integration host factor (IHF) in repression at a distance of the pyrimidine specific promoter P1 of the *carAB* operon, 1041
QueA -- Transfer and isomerization of the ribose moeity of AdoMet during the biosynthesis of queuosine tRNAs, a new unique reaction catalyzed by the QueA protein from *Escherichia coli*, 389 -- Genes, enzymes and coenzymes of queuosine in procaryotes, 1178
queuine -- tRNA-guanine transglycolase from *Escherichia coli*: Recognition of dimeric, unmodified $tRNA^{Tyr}$, 1183
queuosine -- Transfer and isomerization of the ribose moeity of AdoMet during the biosynthesis of queuosine tRNAs, a new unique reaction catalyzed by the QueA protein from *Escherichia coli*, 389 -- Genes, enzymes and coenzymes of queuosine in procaryotes, 1178

R

R salexigens -- Amino acid sequences of cytochromes c2 and c' from the moderately halophilic purple phototrophic bacterium *Rhodospirillum salexigens*, 583
ras -- Endogenous inhibitors of the dsRNA-dependent eIF2 protein kinase PKR in normal and *ras*-transformed cells, 792
rat -- High level expression of rat γ-D crystallin in *E coli*, 398
reaction center -- Interaction between cytochrome c and the photosynthetic reaction center of purple bacteria: Behaviour at low temperature, 569
recombinant protein -- High level expression of rat -D crystallin in *E coli*, 398
recombinant RNA -- Recombinant photoreactive tRNA molecules as probes for cross-linking studies, 1235
redox potential -- The protein moiety modulates the redox potentials in cytochromes c, 471 -- A detailed comparison of the refined structures of cytochrome c3 molecules from two strains in *Desulfovibrio vulgaris*: The relationship between the heme structures and their redox properties, 537 -- Strategies for the study of cytochrome c structure and function by site-directed mutagenesis, 622
regulated secretion -- Identification of a sorting signal for the regulated secretory pathway at the N-terminus of pro-opiomelanocortin, 265
regulation cell proliferation -- Proteins that interact with PKR, 779
reorganization energy -- Interaction between cytochrome c and the photosynthetic reaction center of purple bacteria: Behaviour at low temperature, 569
resonance Raman scattering -- Resonance Raman spectroscopy of c-type cytochromes, 693
retinablastoma -- Into and out of G1: The control of cell proliferation, 887
reverse transcriptase -- Patterns of nucleotide variation among cauliflower mosaic virus isolates, 3
Rhodobacter capsulatus -- The IHF protein of *Rhodobacter capsulatus* and *Pseudomonas aeruginosa*, 951
ribosomal proteins -- Proteins of the *Thermus thermophilus* ribosome. Purification of proteins from the large ribosomal subunit, 440
ribosomal RNA -- Characterization of a nucleolar 2'-O-methyltransferase and its involvement in the methylation of mouse precursor ribosomal RNA, 1115
ribosomal subunits -- Eukaryotic protein synthesis: An *in vitro* analysis, 822
ribosome -- Codon context and protein synthesis: Enhancements of the genetic code, 351 -- Participation of initiation factors in the recruitment of mRNA to ribosomes, 831
ribozyme -- Synthetic oligoribonucleotides carrying site-specific modifications for RNA structure-function analysis, 1223
RNA editing -- RNA editing in the replication cycle of human hepatitis delta virus, 1205 -- Requirements for editing in the genomic RNA of hepatitis delta virus, 1209
RNA messenger -- Translational control of cytokine expression by 3' UA-rich sequences, 862
RNA modification -- Transfer and isomerization of the ribose moeity of AdoMet during the biosynthesis of queuosine tRNAs, a new unique reaction catalyzed by the QueA protein from *Escherichia coli*, 389
RNase E -- Transcriptional patterns of the *mutL-miaA* superoperon of *Escherichia coli* K-12 suggest a model for posttranscriptional regulation,1168
RNase III -- Transcriptional patterns of the *mutL-miaA* superoperon of *Escherichia coli* K-12 suggest a model for posttranscriptional regulation,1168
Roseobacter denitrificans -- Structure and function of the tetraheme cytochrome associated to the reaction center of *Roseobacter denitrificans*, 666

S

16S rRNA -- Methylation of the conserved A1518-A1519 in *Escherichia coli* 16S ribosomal RNA by the *ksgA* methyltransferase is influenced by mutations around the similarly conserved U512-G1523 base pair in the 3' terminal hairpin, 1123
70S ribosome -- Effect of the nucleotide-37 on the interaction of $tRNA^{Phe}$ with the P site of *Escherichia coli* ribosomes, 51
S cerevisiae -- Structural studies on recombinant and point mutations of flavocytochrome b2, 501 -- Translational control during amino acid starvation, 718
S-adenosylmethionine:tRNA ribosyltransferase-isomerase -- Transfer and isomerization of the ribose moeity of AdoMet during the biosynthesis of queuosine tRNAs, a new unique reaction catalyzed by the QueA protein from *Escherichia coli*, 389
scanning model -- Determinants of translational fidelity and efficiency in vertebrate mRNAs, 815
secretion -- Regulated cleavage of the Alzheimer amyloid precursor protein: Molecular and cellular basis, 300
secretogranin II -- Antibodies to secretogranin II reveal potential processing sites, 271
secretogranins -- Peptides derived from the granins (chromogranins/secretogranins), 277
secretory granule -- Antibodies to secretogranin II reveal potential processing sites, 271 -- Peptides derived from the granins (chromogranins/secretogranins), 277
segregation -- P1 Plasmid partition: Binding of P1 ParB protein and *Escherichia coli* integration host factor to altered parS sites, 924
semi-empirical molecular orbital program -- Functional sites of cytochrome c and other electron carrier proteins: Semi-empirical molecular orbital program PM3 applied to the conformational analysis of Cys-X1-X2-Cys peptides, 614
sequencing -- Molecular biology of c-type cytochromes from *Desulfovibrio vulgaris* Hildenborough, 554
serine tRNA5 -- Characterization and expression of a gene encoding serine tRNA5 from *Escherichia coli*, 83
serine-pyruvate aminotransferase -- A *Lactobacillus nifS*-like gene suppresses an *Escherichia coli* transaminase B mutation, 45
serW -- Characterization and expression of a gene encoding serine $tRNA_5$ from *Escherichia coli*, 83
sex determination -- The human testis determining factor SRY: A new member of the HMG box protein family,1075
singlet oxygen -- Interest of photochemical methods for induction of lipid peroxidation, 355
site-directed mutagenesis -- Furin-mediated proprotein processing activity: Involvement of negatively charged amino acid residues in the substrate binding region, 210 -- Analysis of the bimolecular reduction of ferricytochrome c by ferrocytochrome b5 through mutagenesis and molecular modelling, 592
site-specific mutation -- Methylation of the conserved A1518-A1519 in *Escherichia coli* 16S ribosomal RNA by the *ksgA* methyltransferase is influenced by mutations around the similarly conserved U512-G1523 base pair in the 3' terminal hairpin,1123
site-specific recombination -- Mutants of *Escherichia coli* integration host factor: DNA-binding and recombination properties,1030
snRNAs -- Pseudouridine formation in small nuclear RNAs,1129
solution structure -- Nuclear magnetic resonance studies of cytochromes c in solution, 631
sorting signal -- Identification of a sorting signal for the regulated secretory pathway at the N-terminus of pro-opiomelanocortin, 265
spectrophotometry -- A direct spectrophotometric method for monitoring the kinetics of T-cell cytolysis, 452
spermatogenesis -- N-arginine dibasic convertase (NRD convertase): A newcomer to the family of processing endopeptidases. An overview, 234
splicing -- Pseudouridine formation in small nuclear RNAs,1129
squid skin -- Determination of the HNK-1 epitope (3-sulphated glucuronic acid) in intact chondroitin sulphates by ELISA. Application to squid skin proteoglycans and their oversulphated carbohydrate structures, 79
SRY -- The human testis determining factor SRY: A new member of the HMG box protein family,1075

strand breakage -- Sites of strand breakage in DNA irradiated by fast neutrons, 187
substrate binding pockets -- Furin-mediated proprotein processing activity: Involvement of negatively charged amino acid residues in the substrate binding region, 210
subunit dynamics -- An analysis of subunit exchange in the dimeric DNA-binding and DNA-bending protein, TF1, 933
sulfate-reducing bacteria -- Localization and specificity of cytochromes and other electron transfer proteins from sulfur-reducing bacteria, 655
supercoiled DNA -- Phage Ø29 protein p6: A viral histone-like protein, 981
supercoiling -- H-NS overexpression induces an artificial stationary phase by silencing global transcription,1019
superoperon -- Transcriptional patterns of the *mutL-miaA* superoperon of *Escherichia coli* K-12 suggest a model for posttranscriptional regulation,1168
superoxide anion -- Interest of photochemical methods for induction of lipid peroxidation, 355
synthetic peptides -- Epitope analysis of T- and B-cell response against the human ß1-adrenoceptor, 159

T

T stem-loop domain -- Aminoacyl-tRNA synthetase and U_{54} methyltransferase recognize conformations of the yeast $tRNA^{Phe}$ anticodon and T stem/loop domain, 1143
T-cells -- A direct spectrophotometric method for monitoring the kinetics of T-cell cytolysis, 452
T-helper cells -- Epitope analysis of T- and B-cell response against the human ß1-adrenoceptor, 159
terminal deoxynucleotidyltransferase -- Expression of the carboxypeptidase E gene: Characterization of the initiator-binding proteins, 336
tetraheme cytochrome -- Structure and function of the tetraheme cytochrome associated to the reaction center of *Roseobacter denitrificans*, 666
TF1 -- Histones, HMS, HU: *Même combat*, 901 -- An analysis of subunit exchange in the dimeric DNA-binding and DNA-bending protein, TF1, 933
therapeutic fast neutrons -- Sites of strand breakage in DNA irradiated by fast neutrons, 187
Thermus thermophilus -- Threonyl-tRNA synthetase from *Thermus thermophilus*: Purification and some structural and kinetic properties, 71 -- Proteins of the *Thermus thermophilus* ribosome. Purification of proteins from the large ribosomal subunit, 440
thiolation -- Synthesis and function of isopentenyl adenosine derivatives in tRNA,1152
threonine dehydrogenase -- The role of H-NS in one carbon metabolism,1063
ThrRS -- Threonyl-tRNA synthetase from *Thermus thermophilus*: Purification and some structural and kinetic properties, 71
thyrotropin-releasing hormone prohormone -- Modulation of the biological activity of thyrotropin-releasing hormone by alternate processing of pro-TRH, 320
tissue distribution -- The family of subtilisin/kexin like pro-protein and prohormone convertases: Divergent or shared functions, 197
toeprinting -- Binding of the eukaryotic initiation factor-2 and *trans*-acting factors to the 5'untranslated region of encephalomyocarditis virus RNA, 801
transaminase B -- A *Lactobacillus nifS*-like gene suppresses an *Escherichia coli* transaminase B mutation, 45
transcriptional silencing -- H-NS overexpression induces an artificial stationary phase by silencing global transcription,1019
transfer-RNA -- Dual hydrlytic role for Pb(II) ions, 15
transglycosylase -- tRNA-guanine transglycolase from *Escherichia coli*: Recognition of dimeric, unmodified $tRNA^{Tyr}$,1183
translation -- Two GTPs are hydrolysed on two molecules of EF-Tu for each elongation cycle during code translation, 59 -- Codon context and protein synthesis: Enhancements of the genetic code, 351 -- The guanine nucleotide-exchange factor, eIF-2B, 748 -- Regulation of heme-regulated eIF-2 kinase and its expression in erythroid cells, 761 -- Eukaryotic protein synthesis: An *in vitro* analysis, 822 -- Regulation of translation and cell growth by eIF-4E, 839
translation control -- Translational control during heat shock, 737
translation initiation factors -- Expression of initiation factor genes in mammalian cells, 847
translational efficiency -- Translational control of cytokine expression by 3' UA-rich sequences, 862
translational initiation -- Potential secondary structure at the translational start domain of eukaryotic and prokaryotic mRNAs, 428
translational regulation -- Regulation of translation by specific protein/mRNA interactions, 867
translational start domain -- Potential secondary structure at the translational start domain of eukaryotic and prokaryotic mRNAs, 428
trichocyst -- Protein processing and morphogenesis of secretory granules in *Paramecium*, 329
triple helix -- Interaction of Hoechst 33258 with a DNA triple helix, 181
tRNA -- Codon context and protein synthesis: Enhancements of the genetic code, 351 -- Aminoacyl-tRNA synthetase and U_{54} methyltransferase recognize conformations of the yeast $tRNA^{Phe}$ anticodon and T stem/loop domain, 1143 -- tRNA-guanine transglycolase from *Escherichia coli*: Recognition of dimeric, unmodified $tRNA^{Tyr}$, 1183 -- Unique structure of new serine tRNAs responsible for decoding leucine codon CUG in various *Candida* species and their putative ancestral tRNA genes, 1217
tRNA aminoacylation -- Threonyl-tRNA synthetase from *Thermus thermophilus*: Purification and some structural and kinetic properties, 71
tRNA guanine transglycosylase -- Genes, enzymes and coenzymes of queuosine in procaryotes, 1178
tRNA mischarging -- Threonyl-tRNA synthetase from *Thermus thermophilus*: Purification and some structural and kinetic properties, 71
tRNA modification -- Enzymatic mechanism of tRNA (m^5U54)methyltransferase, 1133 -- Synthesis and function of isopentenyl adenosine derivatives in tRNA, 1152 -- Genes, enzymes and coenzymes of queuosine in procaryotes, 1178
tRNA processing enzymes -- How single genes provide tRNA processing enzymes to mitochondria, nuclei and the cytosol, 1161
tRNA-ribosome complex -- Recombinant photoreactive tRNA molecules as probes for cross-linking studies, 1235
$tRNA^{Phe}$ -- Effect of the nucleotide-37 on the interaction of tRNAPhe with the P site of *Escherichia coli* ribosomes, 51
troponin-T -- Identification of the 30-kDa polypeptide in *post mortem* skeletal muscle as a degradation product of troponin-T, 369
tumour -- Protein metabolism in the cancer patient, 713

U-V-X-Y-Z

unfolding -- The interaction of horse heart cytochrome c with phospholipid bilayers. Structural and dynamic effects, 489
untranslated regions -- Regulation of translation by specific protein/mRNA interactions, 867
UV -- Interest of photochemical methods for induction of lipid peroxidation, 355
vasopressin -- Heterologous biosynthesis and processing of preprovasopressin in Neuro2A neuroblastoma cells, 315
vibrational modes -- Resonance Raman spectroscopy of c-type cytochromes, 693
viral glycoproteins -- Processing of viral glycoproteins by the subtilisin-like endoprotease furin and its inhibition by specific peptidylchloroalkylketones, 217
viral strategies -- Proteins that interact with PKR, 779
X-ray structure -- A detailed comparison of the refined structures of cytochrome c3 molecules from two strains in *Desulfovibrio vulgaris*: The relationship between the heme structures and their redox properties, 537
Y143F mutant -- Structural studies on recombinant and point mutations of flavocytochrome b_2, 501
Y254F mutant -- Structural studies on recombinant and point mutations of flavocytochrome b_2, 501
Yap3 -- Cleavage of prosomatostatins by the yeast Yap3 and Kex2 endoprotease, 226
yeast -- The yeast *Saccharomyces cerevisiae* system: A powerful tool to study the mechanism of protein synthesis initiation in eukaryotes, 853
yeast endoproteases -- Cleavage of prosomatostatins by the yeast Yap3 and Kex2 endoprotease, 226
zinc binding site -- N-arginine dibasic convertase (NRD convertase): A newcomer to the family of processing endopeptidases. An overview, 234 -- Identification and regulation of the high affinity binding site of the Alzheimer's disease amyloid protein precursor (APP) to glycosaminoglycans, 304